

AXUT.E15012 - ATTACHMENT PLUGS, FUSELESS

Attachment Plugs, Fuseless

See General Information for Attachment Plugs, Fuseless

COOPER WIRING DEVICES

E15012

203 COOPER CIR
PEACHTREE CITY, GA 30269 USA

Trademark and/or Tradename: "EAGLE", "COOPER", "ARROW-HART", "ARROW", "E15012", "EATON".

Adapter, Cat. No. 419.

Attachment plugs, Cat. Nos. BP2600, BP2600-6, IG5266, IG5366, IG5466, IG5666, L115P, L520P, L530P, L620P, L630P, L1020P, L1120P, L1420P, L1520P, L1430C, L1430P, L1530C, L1530P, L1630C, L1630P, SA399, SA400, SA411, SA422, SA433, SA444, SA455, SA455C, SA466, SA466I, SA477, SA555, SA555C, SA566, SA566-25, SA566I, ST115P, ST715P*, ST720P, ST1020P, 17, 18, 19, 20, 21, 41, 42, 80, 723-6, 801, 820, 848, 855, ACEBP1900, 920-6, 958, 959, 997, 1703, 1709, 1711, 1723, 1900, 1900-6, 1912, 1912-6, 2363, 2364, 2365, 2366, 2465, 2466, 2472, 2473, 2474, 2475, 2809, 2836, 2839, 2846, 2847, 2862, 2862-6, 2866, 2867, 3123, 3349, 3363, 3364, 3365, 3366, 3465, 3466, 3472, 3473, 3473AN, 3474, 3474AN, 3475, 3809, 3836, 3839, 3862, 3866, 3866-2, 3867, 4270AN, 4409, 4409AN, 4509, 4509AN, 4570, 4570AN, 4720, 4720AN, 4770, 4809, 4862, 4866, 4866AN, 4867, 4867AN, ST715P, 5266, 5266AN, 5366, 5366AN*, 5466, 5466AN*, 5666, 5666AN*, 5809-5, 5829-5, 5866-5, 5867-5, 6862, 6867, SA440, SA840, SA540, SA940, 782-7703, 782-7652.

Cat. Nos. BP2601, BP2601-6, BP2611 and BP2611-6. These Cat. Nos. may be without prefix "BP". These Cat. Nos. may be with or without added prefixes and/or suffixes letters and/or numbers.

Attachment plugs, Cat. Nos. 83, 84, 84-6, 183, 183-6 may be followed by suffixes BK or W.

Cat. Nos. 5364, 5464, 5666, 5965, 5965CR, 8115.

Cat Nos. AHL2630P, AHL2530P.

Attachment plugs hospital grade, Cat. Nos. 8266*, 8266AN*, 8366, 8366AN, 8466*, 8466AN, 8666*, 8666AN, 8115.

Cord connectors, Cat. Nos. L520C, L530C, L620C, L630C, L1020C, L1120C, L1420C, L1520C, SA125, SA155, AD993, ST115C, U-786, 178, 180, 224, 226, 254, 743, 786, 891, 892, 894, 895, 1186, 1906, 2227, 2228, 2228-C, 2229, 2229-C, 2353, 2354, 2355, 2356, 2455, 2456, 2493, 2494, 2495, 2607, 2882, 2887, 3353, 3354, 3355, 3356, 3427, 3428, 3428-C, 3429, 3429-C, 3455, 3456, 3487, 3493, 3494, 3495, 3882, 4227, 4228, 4228-C, 4229, 4229-C, 4579, 4729, 4779, 4882, 4887, 5269, 5369, 5469, 5669, 6882, 6887, 782-7713.

Cord Connectors, Cat. Nos. 86, 87 may be followed by suffixes BK, W or V.

Cat. Nos. 5369, 5469, 5669, 5969, 5969CR, 8119.

Cat Nos. AHL2630C, AHL2530C.

Cord connectors hospital grade, Cat. Nos. SA170, SA370, 178, 180, 222, 224, 226, 229, 252, 254, 8269*, 8269-5*, 8364, 8469, 8669, 782-7688, 8119.

Flatiron and appliance plugs, Cat. Nos. 753.

Motor attachment plugs, Cat. Nos. 3999, 4049, 4049-01, 4049-2, 4049-3, 4049-21, 4049-31, 5278, 5378, 5478, 5678.

Separable attachment plugs, Cat. Nos. 758, 808.

*FS Also evaluated for compliance with Federal Specification W-C-596.

*This Listing includes any of the above catalog numbers with or without added prefix letters and with or without added suffix numbers 1 to 99 incl. and suffix letters.

[Click here to view the Colombia Market Access Certification](#)

Last Updated on 2017-08-24

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"



AXUT2.E15012 - ATTACHMENT PLUGS, FUSELESS - COMPONENT

Attachment Plugs, Fuseless - Component

See General Information for Attachment Plugs, Fuseless - Component

COOPER WIRING DEVICES

E15012

203 COOPER CIR

PEACHTREE CITY, GA 30269 USA

Attachment plugs Model(s) 2600, 2600-6, 2601, 2601-6, 2611, 2611-6

Cord connector bodies Model(s) 746

Motor attachment caps Model(s) 4049, 4049-01, 4049-2, 4049-21, 4049-3, 4049-31

Note - Any of the above catalog numbers may have added prefix or suffix letters. They may also include suffix numbers following slash or semi-colon. These suffixes and prefixes denote variation in color, packaging or commercial differences.

[Click here to view the Colombia Market Access Certification](#)

Marking: Company name or tradename "Arrow" , "Arrow-Hart" , "Cooper" , "E15012" , "EATON" , "Eagle" and model designation.

Last Updated on 2017-08-24

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

AXUT7.E15012 - ATTACHMENT PLUGS, FUSELESS CERTIFIED FOR CANADA

Attachment Plugs, Fuseless Certified for Canada

See General Information for Attachment Plugs, Fuseless Certified for Canada

COOPER WIRING DEVICES

203 COOPER CIR
PEACHTREE CITY, GA 30269 USA

Attachment Plugs

E15012

| Cat. No. | No. of Poles | No. Wire | Rating | Note |
|----------|--------------|----------|----------------|------|
| 17 | 3 | 4 | 30A, 125/250 V | 2 |
| 18 | 3 | 4 | 50A, 125/250 V | 2 |
| 19 | 4 | 4 | 60A, 120/208 V | 2 |
| 20 | 4 | 4 | 60A, 125/250 V | 2 |
| 21 | 3 | 4 | 30A, 125/250 V | 2 |
| 40 | 3 | 3 | 30A, 125/250 V | 2 |
| SA440 | 2 | 2 | 15A, 125 V | 1 |
| SA840 | 2 | 2 | 15A, 125 V | 1 |
| SA540 | 2 | 2 | 15A, 125 V | 1 |
| SA940 | 2 | 2 | 15A, 125 V | 1 |
| 1703 | 2 | 3 | 15A, 250 V | 1 |
| 1709 | 2 | 3 | 15A, 125 V | 1 |
| 1711 | 2 | 3 | 15A, 250 V | 1 |
| 1723 | 2 | 2 | 15A, 125 V | 1 |
| 1723-6 | 2 | 3 | 15A, 125 V | 1 |
| SA455C | 2 | 2 | 15A, 125 V | 1 |
| SA477 | 2 | 3 | 15A, 125 V | 1 |
| SA555C | 2 | 2 | 15A, 125 V | 1 |
| 782-7652 | 2 | 3 | 15A, 125 V | 1 |
| 5278 | 2 | 2 | 15A, 125 V | 1 |

| | | | | |
|----------|---|---|------------------|---------|
| 5364 | 2 | 3 | 20A, 125V | 1 |
| 5378 | 2 | 3 | 20A, 125 V | 1 |
| 5464 | 2 | 3 | 20A, 250V | 1 |
| 5478 | 2 | 3 | 20A, 250 V | 1 |
| 5666 | 2 | 3 | 15A, 250V | 1 |
| 5678 | 2 | 3 | 15A, 125 V | 1 |
| 5965 | 2 | 3 | 15A, 125V | 1 |
| 5965CR | 2 | 3 | 15A, 125V | 1 |
| 8115 | 2 | 3 | 15A, 125V | 1, 3, 4 |
| 2472 | 2 | 2 | 15A, 125V | 5 |
| L115P | 2 | 2 | 15A, 125V | 5 |
| 2473 | 2 | 3 | 15A, 125V | 5 |
| 4720 | 2 | 3 | 15A, 125V | 5 |
| 2474 | 2 | 3 | 15A, 250V | 5 |
| 4570 | 2 | 3 | 15A, 250V | 5 |
| 2475 | 2 | 3 | 15A, 277V | 5 |
| 4770 | 2 | 3 | 15A, 277V | 5 |
| 2809 | 2 | 3 | 20A, 125V | 1 |
| 2836 | 3 | 3 | 20A, 125/277V | 1 |
| 2839 | 2 | 3 | 15A, 277V | 1 |
| 2866 | 2 | 3 | 15A, 250V | 1 |
| 2867 | 2 | 3 | 15A, 125V | 1 |
| 2862 | 2 | 3 | 15A, 125V | 1 |
| 3809 | 2 | 3 | 20A, 250V | 1 |
| 3999 | 2 | 3 | 15A, 125V | 1 |
| 2862-6 | 2 | 3 | 15A, 125V | 1 |
| AHL2530P | 2 | 3 | 20A, 240V ac | 4, 5 |
| AHL2630P | 4 | 5 | 30A,240/415 V ac | 4, 5 |

Notes:

1. General Use - Straight Blade or Twist Lock

2. Appliance type

3. Hospital Grade

4. Fed Specs

5. General Use - Twist Lock

Cord Connectors

| Cat. No. | No. of Poles | No. Wire | Rating | Note |
|----------------------------|---------------------|-----------------|------------------|-------------|
| 5369 | 2 | 3 | 20A, 125V | 1 |
| 5469 | 2 | 3 | 20A, 250V | 1 |
| 5669 | 2 | 3 | 15A, 250V | 1 |
| 5969 | 2 | 3 | 15A, 125V | 1 |
| 5969CR | 2 | 3 | 15A, 125V | 1 |
| 8119 | 2 | 3 | 15A, 125V | 1, 2, 3 |
| 2493, 3493, 4729 | 2 | 3 | 15A, 125V | 1 |
| 2494, 3494, 4579 | 2 | 3 | 15A, 250V | 1 |
| 2495, 3495, 4779 | 2 | 3 | 15A, 277V | 1 |
| 2227, 3427 | 2 | 3 | 15A, 250V | 1 |
| 2882, 3882 | 2 | 2 | 15A, 125V | 1 |
| 2887, 3487 | 2 | 3 | 15A, 125V | 1 |
| 2228, 2228-C, 3428, 3428-C | 2 | 3 | 20A, 125V | 1 |
| 2229, 2229-C, 3429, 3429-C | 2 | 3 | 20A, 250V | 1 |
| AHL2530C | 2 | 3 | 20A, 240V ac | 3, 4 |
| AHL2630C | 4 | 5 | 30A,240/415 V ac | 3, 4 |

Notes:

1. General Use

2. Hospital Grade

3. Fed Specs

4. General Use - Twist Lock

*Note: This includes any of the above catalog numbers with or without added prefix letters and with or without added suffix numbers 1 to 99 incl. and suffix letters".

Trademark and/or Tradename: "E15012", "EATON".

Last Updated on 2018-09-27

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"