



QCRV.E51579
Outlet Bushings and Fittings

If you notice a change to your QCRV Listing Card, click here to learn more.

Page Bottom

Outlet Bushings and Fittings

See General Information for Outlet Bushings and Fittings

HEYCO PRODUCTS INC
1800 INDUSTRIAL WAY N
TOMS RIVER, NJ 08755 USA

E51579

Armored cable bushings Model(s) AB-0, AB-1, AB-2, AB-3

Closure plugs Model(s) HFP-1093, HFP-1375, HFP-1750, HFP-2000, HFP-875

Connectors, liquid tight cord grips Model(s) CG.100B-1050, CG.100B-560, CG.100B-650, CG.100B-750, CG.100B-850, CG.100B-950, CG.125C-850, CG.125C-950, CG.125D-1050, CG.125D-1150, CG.125D-1250, CG.125D-1375, CG.150D-1050, CG.150D-1150, CG.150D-1250, CG.150D-1375, CG.50A-250, CG.50A-350, CG.50A-450, CG.50A-560, CG.50A-650, CG.75A-250, CG.75A-350, CG.75A-450, CG.75A-560, CG.75A-650, CG.75B-750, CG.75B-850, FLEX LTF-1/2, FLEX LTCG 1+, FLEX LTCG 1-1/4 NPT, FLEX LTCG 1-1/4+, FLEX LTCG 1/2 90°+, FLEX LTCG 1/2+, FLEX LTCG 1/4+, FLEX LTCG 1/4-90°+, FLEX LTCG 3/4+, FLEX LTCG LL 1/2+, FLEX LTCG M20 90°+, FLEX LTCG M20+, FLEX LTCG M25+, FLEX LTCG M32+, FLEX LTCG M40+, FLEX LTCG M50+, FLEX LTCG M63+, FLEX LTCG NPT 1-1/2+, FLEX LTCG NPT 2+, FLEX LTCG PG-16, FLEX LTCG PG13.5 90°+, FLEX LTCG PG13.5+, FLEX LTCG PG16+, FLEX LTCG PG21+, FLEX LTCG PG29+, FLEX LTCG PG36+, FLEX LTCG PG42+, FLEX LTCG PG48+, FLEX LTF-1, FLEX LTF-1/2, FLEX LTF-1/2-90, FLEX LTF-13.5, FLEX LTF-13.5-90, FLEX LTF-16, FLEX LTF-21, FLEX LTF-29, FLEX LTF-3/4, FLEX RLTCG 1+, FLEX RLTCG 1-1/4 NPT, FLEX RLTCG 1-1/4+, FLEX RLTCG 1/2 90°+, FLEX RLTCG 1/2+, FLEX RLTCG 3/4+, FLEX RLTCG LL 1/2+, FLEX RLTCG LL 1/2-NPT, FLEX RLTCG M20 90°+, FLEX RLTCG M20+, FLEX RLTCG M25+, FLEX RLTCG M32+, FLEX RLTCG M40+, FLEX RLTCG M50+, FLEX RLTCG M63+, FLEX RLTCG NPT 1-1/2+, FLEX RLTCG NPT 2+, FLEX RLTCG PG-16, FLEX RLTCG PG13.5 90°+, FLEX RLTCG PG13.5+, FLEX RLTCG PG16+, FLEX RLTCG PG21+, FLEX RLTCG PG29+, FLEX RLTCG PG36+, FLEX RLTCG PG42+, FLEX RLTCG PG48+, FLEX RLTF-21, FLEX RLTF-3/4, LLTF-1/2, LTCG 1+, LTCG 1-1/4 NPT, LTCG 1-1/4+, LTCG 1/2 (2-5.2mm)+, LTCG 1/2 90°+, LTCG 1/2+, LTCG 1/4+, LTCG 1/4-90°+, LTCG 3/4 (3-5.2mm)+, LTCG 3/4 (4-5.2mm)+, LTCG 3/4 NPT (1-16mm)+, LTCG 3/4+, LTCG LL 1/2 (3-5.6mm)+, LTCG LL 1/2 NPT, LTCG LL 1/2+, LTCG M20 (2-5.2mm)+, LTCG M20 90°+, LTCG M20+, LTCG M25 (1-16mm)+, LTCG M25+, LTCG M32+, LTCG M40+, LTCG M50+, LTCG M63+, LTCG NPT 1-1/2+, LTCG NPT 2+, LTCG PG-16, LTCG PG13.5 90°+, LTCG PG13.5+, LTCG PG16+, LTCG PG21 (1-16mm)+, LTCG PG21+, LTCG PG29+, LTCG PG36+, LTCG PG42+, LTCG PG48+, LTF-1, LTF-1-90, LTF-1/2, LTF-13.5, LTF-16, LTF-21, LTF-29, LTF-29-90, LTF-3/4, RLTCG 1+, RLTCG 1-1/4 NPT, RLTCG 1-1/4+, RLTCG 1/2 90°+, RLTCG 1/2+, RLTCG 3/4+, RLTCG LL 1/2+, RLTCG LL 1/2-NPT, RLTCG M20 90°+, RLTCG M20+, RLTCG M25+, RLTCG M32+, RLTCG M40+, RLTCG M50+, RLTCG M63+, RLTCG NPT 1-1/2+, RLTCG NPT 2+, RLTCG PG-16, RLTCG PG13.5 90°+, RLTCG PG13.5+, RLTCG PG16+, RLTCG PG21+, RLTCG PG29+, RLTCG PG36+, RLTCG PG42+, RLTCG PG48+, RLTF-21, RLTF-3/4, SMCG 1 NPT (5-7.7 mm)+, SMCG 1-1/4 NPT (7-8.9 mm)+, SMCG 1-1/4 NPT (9-7.7 mm)+, SMCG 2 NPT (12-8.9 mm)+, SMCG 2 NPT (19-7.7 mm)+, SMCG LL 1/2 NPT (3-5.6 mm)+, SMCG 3/4 NPT (3-7.7 mm)+, SSMCG 1 NPT (5-7.7mm)+, SSMCG 2 NPT (12-8.9)+, SSMCG 2 NPT (19-7.7mm)+

Cord grips Model(s) AL CG NPT 1-1/2-1000-5, AL CG NPT 1-1/2-1125-5, AL CG NPT 1-1/2-1250-5, AL CG NPT 1-1/2-1375-5, AL CG NPT 1-1/2-1375-6, AL CG NPT 1-1/2-1562-6, AL CG NPT 1-1/2-1688-6, AL CG NPT 1-1/2-1812-6, AL CG NPT 1-1/2-875-5, AL CG NPT 1-1/4-1000-5, AL CG NPT 1-1/4-1125-5, AL CG NPT 1-1/4-1250-5, AL CG NPT 1-1/4-1375-5, AL CG NPT 1-1/4-688-5, AL CG NPT 1-1/4-812-5, AL CG NPT 1-1/4-875-5, AL CG NPT 1-1000-5, AL CG NPT 1-1125-5, AL CG NPT 1-1250-5, AL CG NPT 1-1375-5, AL CG NPT 1-562-4, AL CG NPT 1-562-90, AL CG NPT 1-625-4, AL CG NPT 1-625-90, AL CG NPT 1-688-4, AL CG NPT 1-688-90, AL CG NPT 1-750-4, AL CG NPT 1-750-90, AL CG NPT 1-812-4, AL CG NPT 1-812-90, AL CG NPT 1-875-4, AL CG NPT 1-875-90, AL CG NPT 1-938-4, AL CG NPT 1-938-90, AL CG NPT 1/2-250-1, AL CG NPT 1/2-250-2, AL CG NPT 1/2-250-90, AL CG NPT 1/2-312-1, AL CG NPT 1/2-312-2, AL CG NPT 1/2-312-90, AL CG NPT 1/2-375-1, AL CG NPT 1/2-375-2, AL CG NPT 1/2-375-90, AL CG NPT 1/2-438-1, AL CG NPT 1/2-438-2, AL CG NPT 1/2-438-90, AL CG NPT 1/2-500-2, AL CG NPT 1/2-500-3, AL CG NPT 1/2-500-90, AL CG NPT 1/2-562-2, AL CG NPT 1/2-562-3, AL CG NPT 1/2-562-90, AL CG NPT 1/2-625-2, AL CG NPT 1/2-625-3, AL CG NPT 1/2-625-90, AL CG NPT 1/2-625-90, AL CG NPT 1/2-688-3, AL CG NPT 1/2-688-3, AL CG NPT 1/2-750-3, AL CG NPT 1/2-812-3, AL CG NPT 1/4-250, AL CG NPT 1/4-312, AL CG NPT 1/4-375, AL CG NPT 1/4-438, AL CG NPT 2-1/2-1812-7, AL CG NPT 2-1/2-1938-7, AL CG NPT 2-1/2-2062-7, AL CG NPT 2-1/2-2188-7, AL CG NPT 2-1/2-2312-7, AL CG NPT 2-1375-6, AL CG NPT 2-1437-6, AL CG NPT 2-1562-6, AL CG NPT 2-1688-6, AL CG NPT 2-1812-6, AL CG NPT 2-1812-7, AL CG NPT 2-1938-7, AL CG NPT 2-2062-7, AL CG NPT 2-2188-7, AL CG NPT 2-2312-7, AL CG NPT 3-1812-7, AL CG NPT 3-1938-7, AL CG NPT 3-2062-7, AL CG NPT 3-2188-7, AL CG NPT 3-2312-7, AL CG NPT 3-2438-7, AL CG NPT 3/4-250-2, AL CG NPT 3/4-312-2, AL CG NPT 3/4-375-2, AL CG NPT 3/4-438-2, AL CG NPT 3/4-500-2, AL CG NPT 3/4-500-3, AL CG NPT 3/4-500-90, AL CG NPT 3/4-562-2, AL CG NPT 3/4-562-3, AL CG NPT 3/4-562-90, AL CG NPT 3/4-625-2, AL CG NPT 3/4-625-3, AL CG NPT 3/4-625-4, AL CG NPT 3/4-625-90, AL CG NPT 3/4-688-3, AL CG NPT 3/4-688-4, AL CG NPT 3/4-688-90, AL CG NPT 3/4-750-3, AL CG NPT 3/4-750-4, AL CG NPT 3/4-750-90, AL CG NPT 3/4-812-3, AL CG NPT 3/4-812-90, AL CG NPT 3/4-875-4, AL CG NPT 3/4-875-4, AL CG NPT 3/8-938-4, AL CG NPT 3/8-938-4, AL CG NPT 3/8-188-90, AL CG NPT 3/8-250-1, AL CG NPT 3/8-250-90, AL CG NPT 3/8-312-1, AL CG NPT 3/8-312-90, AL CG NPT 3/8-375-1, AL CG NPT 3/8-375-90, AL CG NPT 3/8-438-1, AL CG NPT 3/8-438-90, RSCG-1125, SCG-1125, SCG-1250, SCG-1500

Liquid tight knockout seals Model(s) KOS-LT-1 LD@, KOS-LT-1/2@, KOS-LT-1@, KOS-LT-3/4@, KOS-LT-1/2 LD@, KOS-LT-3/4 LD@

Liquid-tight fittings for cords Model(s) LTF-48, RLTF 48

Liquid-tight flexible cord connectors Model(s) ALCG 1-1/2 NPT, ALCG 2 NPT, ALCG1-1/4 NPT, ALMCG 1 NPT (5-7.7mm), ALMCG 2 NPT (12-8.9mm), ALMCG 2NPT (19-7.7mm), MLTF 1/2 NPT, MRLTF 1/2 NPT, NBCG 1-1/2 NPT, NBCG 1-1/4 NPT, NBCG 2 NPT, NBMC 1 NPT (5-7.7mm), NBMC 2 NPT (12-8.9mm), NBMC 2 NPT (19-7.7mm), PSCG 1-1/2 NPT, PSCG 1-1/4 NPT, PSCG 2 NPT, PSMCG 1 NPT (5-7.7mm), PSMCG 2 NPT (12-8.9mm), PSMCG 2 NPT (19-7.7mm), RALCG 1-1/2 NPT, RALCG 1-1/4 NPT, RALCG 2 NPT, RNBCG 1-1/2 NPT, RNBCG 1-1/4 NPT, RNBCG 2 NPT, RPSCG 1-1/2 NPT, RPSCG 1-1/4 NPT, RPSCG 2 NPT

Liquid-tight flexible cord fittings Model(s) ALCG+, NBCG+, PSCG+, SSCG+, followed by 1 NPT, PG-29, or M32 for a cord range of 0.590 in. to 1.00 in.

ALCG+, NBCG+, PSCG+, SSCG+, followed by 1/2 NPT, PG-13.5 or M20 for a cord range of 0.250 in. to 0.460 in.

ALCG+, NBCG+, PSCG+, SSCG+, followed by 3/4 NPT, PG21, or M25 for a cord range of 0.434 in. to 0.710 in.

ALCG+, NBCG+, PSCG+, SSCG+, followed by PG-16, LL 1/2 NPT, LL M20 for a cord range of 0.350 in. TO 0.550 in.

BRASS CG M20-110, BRASS CG M20-110x6mmTHD, BRASS CG M20-150x6mmTHD, BRASS CG M20-250, BRASS CG M20-80, BRASS CG M20-80x6mmTHD, BRASS CG M25-125, BRASS CG M25-125x7mmTHD, BRASS CG M25-160, BRASS CG M25-160x7mmTHD, BRASS CG M25-205, BRASS CG M25-205x7mmTHD, BRASS CG M32-170, BRASS CG M32-170x8mmTHD, BRASS

CG M32-210, BRASS CG M32-210x8mmTHD, BRASS CG M32-255, BRASS CG M32-255x8mmTHD, BRASS CG PG13-110, BRASS CG PG13-110x6mmTHD, BRASS CG PG13-150, BRASS CG PG13-150x6mmTHD, BRASS CG PG13-80, BRASS CG PG13-80x6mmTHD, BRASS CG PG16-110, BRASS CG PG16-110x6mmTHD, BRASS CG PG16-150, BRASS CG PG16-150x6mmTHD, BRASS CG PG16-80, BRASS CG PG16-80x6mmTHD, BRASS CG PG21-125, BRASS CG PG21-125x7.5mmTHD, BRASS CG PG21-160, BRASS CG PG21-160x7.5mmTHD, BRASS CG PG21-205, BRASS CG PG21-205x7.5mmTHD, BRASS CG PG29-190, BRASS CG PG29-230, BRASS CG PG29-230x8mmTHD, BRASS CG PG29-275, BRASS CG PG29-275x8mmTHD, BRASS CG PG36-305x8mmTHD, BRASS CG PG36-350x8mmTHD, BRASS CG PG42-370x10mmTHD, BRASS CG PG42-420x10mmTHD, BRASS CG-M40-240, BRASS CG-M40-285, BRASS CG-M40-330, BRASS CG-M50-330, BRASS CG-M50-370, BRASS CG-M50-420, BRASS CG-NPT 1 1/4-240, BRASS CG-NPT 1 1/4-285, BRASS CG-NPT 1 1/4-330, BRASS CG-NPT 1 1/2-330, BRASS CG-NPT 1 1/2-370, BRASS CG-NPT 1 1/2-410, BRASS CG-NPT 1-170, BRASS CG-NPT 1-210, BRASS CG-NPT 1-255, BRASS CG-NPT 2-400, BRASS CG-NPT 2-460, BRASS CG-NPT 2-520, BRASS CG-NPT 1/2-080, BRASS CG-NPT 1/2-110, BRASS CG-NPT 1/2-150, BRASS CG-NPT 3/4-125, BRASS CG-NPT 3/4-160, BRASS CG-NPT 3/4-205, BRASS CG-PG36-260, BRASS CG-PG36-305, BRASS CG-PG36-350, BRASS CG-PG42-330, BRASS CG-PG42-370, BRASS CG-PG42-420

RALCG+, RNBCG+, RPSCG+, RSSCG+, followed by 1 NPT, PG-29, or M32 for a cord range of 0.500 in. to 0.790 in.

RALCG+, RNBCG+, RPSCG+, RSSCG+, followed by 1/2 NPT, PG-13.5 or M20 for a cord range of 0.250 in. TO 0.290 in.

RALCG+, RNBCG+, RPSCG+, RSSCG+, followed by 3/4 NPT, PG21, or M25 for a cord range of 0.385 in. to 0.489 in.

RALCG+, RNBCG+, RPSCG+, RSSCG+, followed by PG-16, LL 1/2 NPT, LL M20 for a cord range of 0.300 in. TO 0.400 in.

Sealing rings Model(s) SW1 1/2NPT, SW1 1/4NPT, SW1/2NPT, SW1NPT, SW2NPT, SW3/4NPT

+ - Indicates the products are rated for Type 4, 4X, 6 and 6P.

@ - Products are rated for Type 4X only

[Last Updated](#) on 2017-06-02

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



QCRV2.E51579

Outlet Bushings and Fittings - Component

If you notice a change to your QCRV2 Listing Card, click [here](#) to learn more.

[Page Bottom](#)

Outlet Bushings and Fittings - Component

[See General Information for Outlet Bushings and Fittings - Component](#)

HEYCO PRODUCTS INC

E51579

1800 INDUSTRIAL WAY N
TOMS RIVER, NJ 08755 USA

Closures Model(s) DP-1000, DP-1093, DP-1125, DP-1187, DP-1250, DP-1375, DP-1500, DP-1750, DP-187, DP-2.093, DP-2.125, DP-2.25, DP-2.5, DP-2000, DP-250, DP-3.0, DP-3.375, DP-312, DP-375, DP-4.0, DP-437, DP-5.0, DP-500, DP-562, DP-6.0, DP-625, DP-687, DP-750, DP-812, DP-875, DPT-1.000, DPT-1.500, DPT-1000, DPT-1093, DPT-1187, DPT-1250, DPT-1375, DPT-1500, DPT-1750, DPT-2000, DPT-500, DPT-625, DPT-875, GPT 1375, GPT 1500, GPT 1750, GPT 2000, GPT-1000, GPT-1093, GPT-1187, GPT-500, GPT-625, GPT-750, GPT-875

Component insulating closures Model(s) HFPT-1000, HFPT-1093, HFPT-1250, HFPT-1375, HFPT-1500, HFPT-1750, HFPT-2000, HFPT-500, HFPT-625, HFPT-750, HFPT-875

Flexible cord connectors Model(s) LTCGH M63-390, LTCGH M63-480, RSCG 1.000, RSCG 1.000-7, RSCG 1.093, RSCG 1.093-7, RSCG 1.125, RSCG 1.250, RSCG 1.375, RSCG 1.500, RSCG 1.750, RSCG 2.000, RSCG 2.375, RSCG 500, RSCG 500-7, RSCG 625, RSCG 625-7, RSCG 750, RSCG 750-7, RSCG 875, RSCG 875-7, SCG 1.000, SCG 1.093, SCG 1.093-7, SCG 1.125, SCG 1.250, SCG 1.375, SCG 1.500, SCG 1.750, SCG 2.000, SCG 2.375, SCG 500, SCG 500-7, SCG 625, SCG 625-7, SCG 750, SCG 750-7, SCG 875, SCG 875-7, SCG1.000-7

Insulating closures Model(s) DD-1109-1000, DD-2000-1875, DD-437-390, DD-500-445, DD-562-530, DD-625-550, DD-750-625, DD-875-770, G-1000, G-1093, G-1187, G-1375, G-1500, G-1750, G-2000, G-250, G-312, G-375, G-437, G-500, G-562, G-625, G-687, G-750, G-812, G-875, HFP-1000, HFP-1187, HFP-1250, HFP-1500, HFP-187, HFP-250, HFP-312, HFP-375, HFP-437, HFP-500, HFP-562, HFP-625, HFP-687, HFP-750, HFP-812, KOS1, KOS1-1/2, KOS1-1/4, KOS1/2, KOS2, KOS3/4, KOST 1, KOST 1-1/2, KOST 1-1/4, KOST 1/2, KOST 3/4, KOST-1.000, KOST-1.500, MDP13, MDP16, MDP20, MDP22, MDP25, MDP28, MDP32, MDP34, POP-1000, POP-1093, POP-1187, POP-1250, POP-1375, POP-1500, POP-250, POP-312, POP-375, POP-437, POP-500, POP-562, POP-625, POP-687, POP-750, POP-812, POP-875, POP-DB15, POP-DB25, POP-DB37, POP-DB9, RP 115-130, RP 175-175, SP-1000, SP-1093, SP-1750, SP-2.5, SP-2000, SP-218, SP-218N, SP-250N, SP-281, SP-281N, SP-307, SP-312, SP-312N, SP-343, SP-343N, SP-375, SP-375N, SP-390, SP-406, SP-437, SP-468, SP-500, SP-500N, SP-512N, SP-531, SP-593, SP-625, SP-625N, SP-687, SP-750, SP-750N, SP-781, SP-875, SP-875N, VP-1000, VP-1093, VP-1187, VP-1250, VP-1375, VP-1500, VP-1750, VP-2.25, VP-2.5, VP-2000, VP-3.0, VP-3.5, VP-4.0, VP-500, VP-562, VP-625, VP-687, VP-750, VP-812, VP-875, VPT-1.000, VPT-1.500, VPT-1000, VPT-1093, VPT-1187, VPT-1250, VPT-1375, VPT-1500, VPT-1750, VPT-2000, VPT-500, VPT-625, VPT-750, VPT-875

Knock-out seals Model(s) KOS-LT .500, KOS-LT .625, KOS-LT .750, KOS-LT 1.000

Liquid tight flexible cord fittings Model(s) BRASS CG M10-40, BRASS CG M10-50x5mmTHD, BRASS CG M10-60, BRASS CG M12-50, BRASS CG M12-50x5mmTHD, BRASS CG M12-65, BRASS CG M12-65x5mmTHD, BRASS CG M12-80, BRASS CG M12-80x5mmTHD, BRASS CG M16-105, BRASS CG M16-105x5mmTHD, BRASS CG M16-45, BRASS CG M16-45x5mmTHD, BRASS CG M16-60, BRASS CG M16-60x5mmTHD, BRASS CG M16-80, BRASS CG M16-80x5mmTHD, BRASS CG M6-25, BRASS CG M6-25x5mmTHD, BRASS CG M6-30, BRASS CG M6-30x5mmTHD, BRASS CG M6-35, BRASS CG M6-35x5mmTHD, BRASS CG M8-35, BRASS CG M8-35x5mmTHD, BRASS CG M8-50, BRASS CG M8-50x5mmTHD, BRASS CG NPT 1/2 (1-12.05mm), BRASS CG NPT 1/2 (1-9.5mm), BRASS CG PG11-120, BRASS CG PG11-120x6mmTHD, BRASS CG PG11-55, BRASS CG PG11-55x6mmTHD, BRASS CG PG11-85, BRASS CG PG11-85x6mmTHD, BRASS CG PG7-50, BRASS CG PG7-50x6mmTHD, BRASS CG PG7-65, BRASS CG PG7-65x6mmTHD, BRASS CG PG7-80, BRASS CG PG7-80x6mmTHD, BRASS CG PG9-105, BRASS CG PG9-105x6mmTHD, BRASS CG PG9-45, BRASS CG PG9-60, BRASS CG PG9-60x6mmTHD, BRASS CG PG9-80, BRASS CG PG9-80x6mmTHD, BRASS CG-NPT 1/8-040, BRASS CG-NPT 1/8-060, BRASS CG-NPT 3/8-045, BRASS CG-NPT 3/8-060, BRASS CG-NPT 3/8-080, BRASS CG-NPT 3/8-105, BRASS CG-NPT 1/4-050, BRASS CG-NPT 1/4-065, BRASS CG-NPT 1/4-080, EMC BRASS CG M10-40, EMC BRASS CG M10-40x5mmTHD, EMC BRASS CG M10-60, EMC BRASS CG M10-60x5mmTHD, EMC BRASS CG M12-60, EMC BRASS CG M12-60x5mmTHD, EMC BRASS CG M12-75, EMC BRASS CG M12-75x5mmTHD, EMC BRASS CG M16-100, EMC BRASS CG M16-100x5mmTHD, EMC BRASS CG M16-80, EMC BRASS CG M16-80x5mmTHD, EMC BRASS CG M20-110, EMC BRASS CG M20-110x6mmTHD, EMC BRASS CG M20-140, EMC BRASS CG M20-140x6mmTHD, EMC BRASS CG M25-160, EMC BRASS CG M25-160x7mmTHD, EMC BRASS CG M25-190, EMC BRASS CG M25-190x7mmTHD, EMC BRASS CG M32-210, EMC BRASS CG M32-210x8mmTHD, EMC BRASS CG M32-250, EMC BRASS CG M32-250x8mmTHD, EMC BRASS CG M8-35, EMC BRASS CG M8-35x5mmTHD, EMC BRASS CG M8-40, EMC BRASS CG M8-40x5mmTHD, EMC BRASS CG PG11-120, EMC BRASS CG PG11-120x6mmTHD, EMC BRASS CG PG11-85, EMC BRASS CG PG11-85x6mmTHD, EMC BRASS CG PG13-110, EMC BRASS CG PG13-110x6mmTHD, EMC BRASS CG PG13-140, EMC BRASS CG PG13-140x6mmTHD, EMC BRASS CG PG16-110, EMC BRASS CG PG16-110x6mmTHD, EMC BRASS CG PG16-140, EMC BRASS CG PG16-140x6mmTHD, EMC BRASS CG PG21-160, EMC BRASS CG PG21-160x7.5mmTHD, EMC BRASS CG PG21-190, EMC BRASS CG PG21-190x7.5mmTHD, EMC BRASS CG PG29-230, EMC BRASS CG PG29-230x8mmTHD, EMC BRASS CG PG29-255, EMC BRASS CG PG29-255x8mmTHD, EMC BRASS CG PG7-60, EMC BRASS CG PG7-60x6mmTHD, EMC BRASS CG PG7-75, EMC BRASS CG PG7-75x6mmTHD, EMC BRASS CG PG9-100, EMC BRASS CG PG9-100x6mmTHD, EMC BRASS CG PG9-80, EMC BRASS CG PG9-80x6mmTHD, EMC-2 Brass CG M12-50, EMC-2 Brass CG M12-50x5mmTHD, EMC-2 Brass CG M12-65, EMC-2 Brass CG M12-65x5mmTHD, EMC-2 Brass CG M16-105, EMC-2 Brass CG M16-105x5mmTHD, EMC-2 Brass CG M20-150, EMC-2 Brass CG M20-150x6mmTHD, EMC-2 Brass CG M25-125x7mmTHD, EMC-2 Brass CG M25-205, EMC-2 Brass CG M32-255, EMC-2 Brass CG M32-255x8mmTHD, LTCGH M12-50, LTCGH M12-70, LTCGH M16-100, LTCGH M16-70, LTCGH M20-080, LTCGH M20-130, LTCGH M25-110, LTCGH M25-170, LTCGH M32-150, LTCGH M32-210, LTCGH M40-230, LTCGH M40-280, LTCGH M50-290, LTCGH M50-350, LTCGH M63-550

Liquid-tight flexible cord connectors Model(s) ALCG, NBCG, PSCG or SSCG, followed by 1/4 NPT, PG-7, or M12, for a cord range of 0.235" to 0.260".+

ALCG, NBCG, PSCG or SSCG, followed by 3/8 NPT, PG-9, M16, for a cord range of 0.210" to 0.315".+

ALMCG 1-1/2 (11-7.7mm), ALMCG 1-1/2 (21-5.5mm), ALMCG 1-1/2 (9-8.9mm), ALMCG 1-1/4 (13-5.5mm), ALMCG 1-1/4 NPT (7-8.9mm), ALMCG 1-1/4 NPT (9-7.7mm), ALMCG 2 NPT (31-5.5mm), ALMCG1 NPT (9-5.5mm), FLEX LTCG 1/4+, FLEX LTCG 1/4GRAY+, FLEX LTCG 3/8+, FLEX LTCG 3/8GRAY+, FLEX LTCG M12+, FLEX LTCG M12GRAY+, FLEX LTCG M16+, FLEX LTCG M16GRAY+, FLEX LTCG PG11+, FLEX LTCG PG11GRAY+, FLEX LTCG PG7+, FLEX LTCG PG7GRAY+, FLEX LTCG PG9+, FLEX LTCG PG9GRAY+, FLEX LTF-11, FLEX LTF-3/8, FLEX LTF-7, FLEX LTF-9, FLEX LTRSCG 1000, FLEX LTRSCG 1125, FLEX LTRSCG 500, FLEX LTRSCG 625, FLEX LTRSCG 750, FLEX LTRSCG 875, FLEX LTRSCG 1000, FLEX LTSCG 1000, FLEX LTSCG 1125, FLEX LTSCG 500, FLEX LTSCG 625, FLEX LTSCG 750, FLEX LTSCG 875, FLEX RLTCG 1/4+, FLEX RLTCG 1/4GRAY+, FLEX RLTCG 3/8+, FLEX RLTCG 3/8GRAY+, FLEX RLTCG M12+, FLEX RLTCG M12GRAY+, FLEX RLTCG M16+, FLEX RLTCG M16GRAY+, FLEX RLTCG PG11+, FLEX RLTCG PG11GRAY+, FLEX RLTCG PG7+, FLEX RLTCG PG7GRAY+, FLEX RLTCG PG9+, FLEX RLTCG PG9GRAY+, FLEX RLTF-11, FLEX RLTF-3/8, FLEX RLTF-7, FLEX RLTF-9, LTCG 1 NPT (9-4.5mm)+, LTCG 1 NPT 8.5mm split+, LTCG 1-1/4 NPT (13-4.5mm)+, LTCG 1-1/4 NPT 8.5mm split+, LTCG 1/4 90°+, LTCG 1/4 90°GRAY+, LTCG 1/4+, LTCG 1/4GRAY+, LTCG 3/8 90°+, LTCG 3/8 90°GRAY+, LTCG 3/8+, LTCG

3/8GRAY+, LTCG LL M20 8.5mm Split+, LTCG LL 1/2 NPT 8.5 mm Split+, LTCG M12 90°+, LTCG M12 90°GRAY+, LTCG M12+, LTCG M12GRAY+, LTCG M16 90°+, LTCG M16 90°GRAY+, LTCG M16+, LTCG M16GRAY+, LTCG M25 8.5mm Split+, LTCG M32 8.5mm Split+, LTCG M40 8.5mm Split+, LTCG PG 7 E+, LTCG PG 7 EGRAY+, LTCG PG11 90°+, LTCG PG11 90°GRAY+, LTCG PG11+, LTCG PG11GRAY+, LTCG PG16 8.5mm Split+, LTCG PG21 8.5mm Split+, LTCG PG29 8.5mm Split+, LTCG PG36 8.5mm Split+, LTCG PG7 90°+, LTCG PG7 90°GRAY+, LTCG PG7+, LTCG PG7GRAY+, LTCG PG9 90°+, LTCG PG9 90°GRAY+, LTCG PG9 E+, LTCG PG9 EGRAY+, LTCG PG9+, LTCG PG9GRAY+, LTCG 3/4 NPT 8.5mm split+, LTF PG 11-90, LTF PG 3/8-90, LTF PG 9-90, LTF-11, LTF-3/8, LTF-3/8-90, LTF-7, LTF-9, LTF-9-90, LTRSCG 1000, LTRSCG 1125, LTRSCG 1250, LTRSCG 1375, LTRSCG 500, LTRSCG 625, LTRSCG750, LTRSCG875, LTSCG 1000, LTSCG 1125, LTSCG 1250, LTSCG 1375, LTSCG 500, LTSCG 625, LTSCG750, LTSCG875, NBMCG 1 NPT (9-5.5mm), NBMCG 1-1/2 (21-5.5mm), NBMCG 1-1/2 (9-8.9mm), NBMCG 1-1/2 NPT (11-7.7mm), NBMCG 1-1/4 (13-5.5mm), NBMCG 1-1/4 NPT (7-8.9mm), NBMCG 1-1/4 NPT (9-7.7mm), NBMCG 2 NPT (31-5.5mm), PSMCG 1 NPT (9-5.5mm), PSMCG 1-1/2 (21-5.5mm), PSMCG 1-1/2 NPT (11-7.7mm), PSMCG 1-1/2 NPT (9-8.9mm), PSMCG 1-1/4 (13-5.5mm), PSMCG 1-1/4 NPT (7-8.9mm), PSMCG 1-1/4 NPT (9-7.7mm), PSMCG 2 NPT (31-5.5mm)

RALCG, RNBCG, RPSCG or RSSCG, followed by 3/8 NPT, PG-9, or M16, for a cord range of 0.210" to 0.230".+

RALG, RNBCG, RPSCG or RSSCG, followed by 1/4 NPT, PG-7, or M12, for a cord range of 0.190" to 0.210".+

RLTCG 1/4 90°+, RLTCG 1/4 90°GRAY+, RLTCG 1/4+, RLTCG 1/4GRAY+, RLTCG 3/8 90°+, RLTCG 3/8 90°GRAY+, RLTCG M12 90+, RLTCG M12 90GRAY+, RLTCG M12+, RLTCG M12GRAY+, RLTCG M16 90°, RLTCG M16 90°+, RLTCG M16 90°GRAY+, RLTCG M16+, RLTCG M16GRAY+, RLTCG PG11 90°+, RLTCG PG11 90°GRAY+, RLTCG PG11+, RLTCG PG11GRAY+, RLTCG PG7 90°+, RLTCG PG7 90°GRAY+, RLTCG PG7+, RLTCG PG7GRAY+, RLTCG PG9 90°+, RLTCG PG9 90°GRAY+, RLTCG PG9+, RLTCG PG9GRAY+, RLTF PG 7-90, RLTF PG-11R-90, RLTF PG-3/8R-90, RLTF PG-7R-90, RLTF PG-9R-90, RLTF-11, RLTF-3/8, RLTF-3/8-90, RLTF-7, RLTF-9, RLTF-9-90, SMCG 1 NPT (3-8.3 + 6-3.3 mm)+, SMCG 1 NPT (9-5.5mm)+, SMCG 1-1/2 NPT (11-7.7mm)+, SMCG 1-1/2 NPT (21-5.5mm)+, SMCG 1-1/2 NPT (9-8.9)+, SMCG 1-1/4 NPT (13-5.5mm)+, SMCG 2 NPT (31-5.5mm)+, SMCG 3/4 NPT (5-5.5mm)+, SSMCG 1 NPT (9-5.5mm), SSMCG 1-1/2 NPT (11-7.7mm), SSMCG 1-1/2 NPT (21-5.5mm), SSMCG 1-1/2 NPT (9-8.9mm), SSMCG 1-1/4 NPT (13-5.5mm), SSMCG 1-1/4 NPT (7-8.9mm), SSMCG 1-1/4 NPT (9-7.7mm), SSMCG 2 NPT (31-5.5mm)

Outlet Bushings and Fittings Model(s) DWP 1000, DWP 750, WP 1000, WP 1093, WP 187, WP 250, WP 312, WP 375, WP 437, WP 500, WP 625, WP 750, WP 875

+ - These devices have been evaluated and found suitable for type 4, 4X, 6 or 6P.

Marking: Company name and model designation.

[Last Updated](#) on 2017-07-12

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



QCRV7.E51579

Outlet Bushings and Fittings Certified for Canada

If you notice a change to your QCRV7 Listing Card, click [here](#) to learn more.

[Page Bottom](#)

Outlet Bushings and Fittings Certified for Canada

[See General Information for Outlet Bushings and Fittings Certified for Canada](#)

HEYCO PRODUCTS INC
1800 INDUSTRIAL WAY N
TOMS RIVER, NJ 08755 USA

E51579

Connectors, liquid tight cord grips Model(s) LTCG 1/2 (2-5.2mm)+, LTCG 3/4 (3-5.2mm)+, LTCG 3/4 (4-5.2mm)+, LTCG 3/4 NPT (1-16mm)+, LTCG LL 1/2 (3-5.6mm)+, LTCG M20 (2-5.2mm)+, LTCG M25 (1-16mm)+, LTCG PG21 (1-16mm)+, SMCG 1 NPT (5-7.7 mm)+, SMCG 1-1/4 NPT (7-8.9 mm)+, SMCG 1-1/4 NPT (9-7.7 mm)+, SMCG 2 NPT (12-8.9 mm)+, SMCG 2 NPT (19-7.7 mm)+, SMCG LL 1/2 NPT (3-5.6 mm)+, SMCG 3/4 NPT (3-7.7 mm)+, SSMCG 1 NPT (5-7.7mm)+, SSMCG 2 NPT (12-8.9)+, SSMCG 2 NPT (19-7.7mm)+

Liquid-tight flexible cord connectors Model(s) ALCG 1-1/2 NPT, ALCG 2 NPT, ALCG1-1/4 NPT, ALMCG 1 NPT (5-7.7mm), ALMCG 2 NPT (12-8.9mm), ALMCG 2NPT (19-7.7mm), NBCG 1-1/2 NPT, NBCG 1-1/4 NPT, NBCG 2 NPT, NBMCG 1 NPT (5-7.7mm), NBMCG 2 NPT (12-8.9mm), NBMCG 2 NPT (19-7.7mm), PSCG 1-1/2 NPT, PSCG 1-1/4 NPT, PSCG 2 NPT, PSMCG 1 NPT (5-7.7mm), PSMCG 2 NPT (12-8.9mm), PSMCG 2 NPT (19-7.7mm), RALCG 1-1/2 NPT, RALCG 1-1/4 NPT, RALCG 2 NPT, RNBCG 1-1/2 NPT, RNBCG 1-1/4 NPT, RNBCG 2 NPT, RPSCG 1-1/2 NPT, RPSCG 1-1/4 NPT, RPSCG 2 NPT

Liquid-tight flexible cord fittings Model(s) ALCG+, NBCG+, PSCG+, SSCG+, followed by 1 NPT, PG-29, or M32 for a cord range of 0.590 in. to 1.00 in.

ALCG+, NBCG+, PSCG+, SSCG+, followed by 1/2 NPT, PG-13.5 or M20 for a cord range of 0.250 in. to 0.460 in.

ALCG+, NBCG+, PSCG+, SSCG+, followed by 3/4 NPT, PG21, or M25 for a cord range of 0.434 in. to 0.710 in.

ALCG+, NBCG+, PSCG+, SSCG+, followed by PG-16, LL 1/2 NPT, LL M20 for a cord range of 0.350 in. TO 0.550 in.

BRASS CG M20-110, BRASS CG M20-110x6mmTHD, BRASS CG M20-150x6mmTHD, BRASS CG M20-250, BRASS CG M20-80, BRASS CG M20-80x6mmTHD, BRASS CG M25-125, BRASS CG M25-125x7mmTHD, BRASS CG M25-160, BRASS CG M25-160x7mmTHD, BRASS CG M25-205, BRASS CG M25-205x7mmTHD, BRASS CG M32-170, BRASS CG M32-170x8mmTHD, BRASS CG M32-210, BRASS CG M32-210x8mmTHD, BRASS CG M32-255, BRASS CG M32-255x8mmTHD, BRASS CG PG13-110, BRASS CG PG13-110x6mmTHD, BRASS CG PG13-150, BRASS CG PG13-150x6mmTHD, BRASS CG PG13-80, BRASS CG PG13-80x6mmTHD, BRASS CG PG16-110, BRASS CG PG16-110x6mmTHD, BRASS CG PG16-150, BRASS CG PG16-150x6mmTHD, BRASS CG PG16-80, BRASS CG PG16-80x6mmTHD, BRASS CG PG21-125, BRASS CG PG21-125x7.5mmTHD, BRASS CG PG21-160, BRASS CG PG21-160x7.5mmTHD, BRASS CG PG21-205, BRASS CG PG21-205x7.5mmTHD, BRASS CG PG29-190, BRASS CG PG29-230, BRASS CG PG29-230x8mmTHD, BRASS CG PG29-275, BRASS CG PG29-275x8mmTHD, BRASS CG PG36-305x8mmTHD, BRASS CG PG36-350x8mmTHD, BRASS CG PG42-370x10mmTHD, BRASS CG PG42-420x10mmTHD, BRASS CG-M40-240, BRASS CG-M40-285, BRASS CG-M40-330, BRASS CG-M50-330, BRASS CG-M50-370, BRASS CG-M50-420, BRASS CG-NPT 1 1/4-240, BRASS CG-NPT 1 1/4-285, BRASS CG-NPT 1 1/4-330, BRASS CG-NPT 1 1/2-330, BRASS CG-NPT 1 1/2-370, BRASS CG-NPT 1 1/2-410, BRASS CG-NPT 1-170, BRASS CG-NPT 1-210, BRASS CG-NPT 1-255, BRASS CG-NPT 2-400, BRASS CG-NPT 2-460, BRASS CG-NPT 2-520, BRASS CG-NPT 1/2-080, BRASS CG-NPT 1/2-110, BRASS CG-NPT 1/2-150, BRASS CG-NPT 3/4-125, BRASS CG-NPT 3/4-160, BRASS CG-NPT 3/4-205, BRASS CG-PG36-260, BRASS CG-PG36-305, BRASS CG-PG36-350, BRASS CG-PG42-330, BRASS CG-PG42-370, BRASS CG-PG42-420

RALCG+, RNBCG+, RPSCG+, RSSCG+, followed by 1 NPT, PG-29, or M32 for a cord range of 0.500 in. to 0.790 in.

RALCG+, RNBCG+, RPSCG+, RSSCG+, followed by 1/2 NPT, PG-13.5 or M20 for a cord range of 0.250 in. TO 0.290 in.

RALCG+, RNBCG+, RPSCG+, RSSCG+, followed by 3/4 NPT, PG21, or M25 for a cord range of 0.385 in. to 0.489 in.

RALCG+, RNBCG+, RPSCG+, RSSCG+, followed by PG-16, LL 1/2 NPT, LL M20 for a cord range of 0.300 in. TO 0.400 in.

+ - Indicates the products are rated for Type 4, 4X, 6 and 6P.

@ - Products are rated for Type 4X only

[Last Updated](#) on 2017-06-02

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



QCRV8.E51579

Outlet Bushings and Fittings Certified for Canada - Component

If you notice a change to your QCRV8 Listing Card, click here to learn more.

Page Bottom

Outlet Bushings and Fittings Certified for Canada - Component

See General Information for Outlet Bushings and Fittings Certified for Canada - Component

HEYCO PRODUCTS INC
1800 INDUSTRIAL WAY N
TOMS RIVER, NJ 08755 USA

E51579

Flexible cord connectors Model(s) LTCGH M63-390, LTCGH M63-480

Liquid tight flexible cord fittings Model(s) BRASS CG M10-40, BRASS CG M10-50x5mmTHD, BRASS CG M10-60, BRASS CG M12-50, BRASS CG M12-50x5mmTHD, BRASS CG M12-65, BRASS CG M12-65x5mmTHD, BRASS CG M12-80, BRASS CG M12-80x5mmTHD, BRASS CG M16-105, BRASS CG M16-105x5mmTHD, BRASS CG M16-45, BRASS CG M16-45x5mmTHD, BRASS CG M16-60, BRASS CG M16-60x5mmTHD, BRASS CG M16-80, BRASS CG M16-80x5mmTHD, BRASS CG M6-25, BRASS CG M6-25x5mmTHD, BRASS CG M6-30, BRASS CG M6-30x5mmTHD, BRASS CG M6-35, BRASS CG M6-35x5mmTHD, BRASS CG M8-35, BRASS CG M8-35x5mmTHD, BRASS CG M8-50, BRASS CG M8-50x5mmTHD, BRASS CG NPT 1/2 (1-12.05mm), BRASS CG NPT 1/2 (1-9.5mm), BRASS CG PG11-120, BRASS CG PG11-120x6mmTHD, BRASS CG PG11-55, BRASS CG PG11-55x6mmTHD, BRASS CG PG11-85, BRASS CG PG11-85x6mmTHD, BRASS CG PG7-50, BRASS CG PG7-50x6mmTHD, BRASS CG PG7-65, BRASS CG PG7-65x6mmTHD, BRASS CG PG7-80, BRASS CG PG7-80x6mmTHD, BRASS CG PG9-105, BRASS CG PG9-105x6mmTHD, BRASS CG PG9-45, BRASS CG PG9-60, BRASS CG PG9-60x6mmTHD, BRASS CG PG9-80, BRASS CG PG9-80x6mmTHD, BRASS CG-NPT 1/8-040, BRASS CG-NPT 1/8-060, BRASS CG-NPT 3/8-045, BRASS CG-NPT 3/8-060, BRASS CG-NPT 3/8-080, BRASS CG-NPT 3/8-105, BRASS CG-NPT 1/4-050, BRASS CG-NPT 1/4-065, BRASS CG-NPT 1/4-080, EMC BRASS CG M10-40, EMC BRASS CG M10-40x5mmTHD, EMC BRASS CG M10-60, EMC BRASS CG M10-60x5mmTHD, EMC BRASS CG M12-60, EMC BRASS CG M12-60x5mmTHD, EMC BRASS CG M12-75, EMC BRASS CG M12-75x5mmTHD, EMC BRASS CG M16-100, EMC BRASS CG M16-100x5mmTHD, EMC BRASS CG M16-80, EMC BRASS CG M16-80x5mmTHD, EMC BRASS CG M20-110, EMC BRASS CG M20-110x6mmTHD, EMC BRASS CG M20-140, EMC BRASS CG M20-140x6mmTHD, EMC BRASS CG M25-160, EMC BRASS CG M25-160x7mmTHD, EMC BRASS CG M25-190, EMC BRASS CG M25-190x7mmTHD, EMC BRASS CG M32-210, EMC BRASS CG M32-210x8mmTHD, EMC BRASS CG M32-250, EMC BRASS CG M32-250x8mmTHD, EMC BRASS CG M8-35, EMC BRASS CG M8-35x5mmTHD, EMC BRASS CG M8-40, EMC BRASS CG M8-40x5mmTHD, EMC BRASS CG PG11-120, EMC BRASS CG PG11-120x6mmTHD, EMC BRASS CG PG11-85, EMC BRASS CG PG11-85x6mmTHD, EMC BRASS CG PG13-110, EMC BRASS CG PG13-110x6mmTHD, EMC BRASS CG PG13-140, EMC BRASS CG PG13-140x6mmTHD, EMC BRASS CG PG16-110, EMC BRASS CG PG16-110x6mmTHD, EMC BRASS CG PG16-140, EMC BRASS CG PG16-140x6mmTHD, EMC BRASS CG PG21-160, EMC BRASS CG PG21-160x7.5mmTHD, EMC BRASS CG PG21-190, EMC BRASS CG PG21-190x7.5mmTHD, EMC BRASS CG PG29-230, EMC BRASS CG PG29-230x8mmTHD, EMC BRASS CG PG29-255, EMC BRASS CG PG29-255x8mmTHD, EMC BRASS CG PG7-60, EMC BRASS CG PG7-60x6mmTHD, EMC BRASS CG PG7-75, EMC BRASS CG PG7-75x6mmTHD, EMC BRASS CG PG9-100, EMC BRASS CG PG9-100x6mmTHD, EMC BRASS CG PG9-80, EMC BRASS CG PG9-80x6mmTHD, EMC-2 Brass CG M12-50, EMC-2 Brass CG M12-50x5mmTHD, EMC-2 Brass CG M12-65, EMC-2 Brass CG M12-65x5mmTHD, EMC-2 Brass CG M16-105, EMC-2 Brass CG M16-105x5mmTHD, EMC-2 Brass CG M20-150, EMC-2 Brass CG M20-150x6mmTHD, EMC-2 Brass CG M25-125x7mmTHD, EMC-2 Brass CG M25-205, EMC-2 Brass CG M32-255, EMC-2 Brass CG M32-255x8mmTHD, LTCGH M12-50, LTCGH M12-70, LTCGH M16-100, LTCGH M16-70, LTCGH M20-080, LTCGH M20-130, LTCGH M25-110, LTCGH M25-170, LTCGH M32-150, LTCGH M32-210, LTCGH M40-230, LTCGH M40-280, LTCGH M50-290, LTCGH M50-350, LTCGH M63-550

Liquid-tight flexible cord connectors Model(s) ALCG, NBCG, PSCG or SSCG, followed by 1/4 NPT, PG-7, or M12, for a cord range of 0.235" to 0.260".+

ALCG, NBCG, PSCG or SSCG, followed by 3/8 NPT, PG-9, M16, for a cord range of 0.210" to 0.315".+

ALMCG 1-1/2 (11-7.7mm), ALMCG 1-1/2 (21-5.5mm), ALMCG 1-1/2 (9-8.9mm), ALMCG 1-1/4 (13-5.5mm), ALMCG 1-1/4 NPT (7-8.9mm), ALMCG 1-1/4 NPT (9-7.7mm), ALMCG 2 NPT (31-5.5mm), ALMCG1 NPT (9-5.5mm), Flex LTRSCG 1000, Flex LTRSCG 1125, Flex LTRSCG 500, Flex LTRSCG 625, Flex LTRSCG 750, Flex LTRSCG 875, Flex LTSCG 1000, Flex LTSCG 1125, Flex LTSCG 500, Flex LTSCG 625, Flex LTSCG 750, Flex LTSCG 875, LTCG 1 NPT (9-4.5mm)+, LTCG 1 NPT 8.5mm split+, LTCG 1-1/4 NPT (13-4.5mm)+, LTCG 1-1/4 NPT 8.5mm split+, LTCG LL M20 8.5mm Split+, LTCG LL 1/2 NPT 8.5 mm Split+, LTCG M25 8.5mm Split+, LTCG M32 8.5mm Split+, LTCG M40 8.5mm Split+, LTCG PG16 8.5mm Split+, LTCG PG21 8.5mm Split+, LTCG PG29 8.5mm Split+, LTCG PG36 8.5mm Split+, LTCG 3/4 NPT 8.5mm split+, LTRSCG 1000, LTRSCG 1125, LTRSCG 1250, LTRSCG 1375, LTRSCG 500, LTRSCG 625, LTRSCG750, LTRSCG875, LTSCG 1000, LTSCG 1125, LTSCG 1250, LTSCG 1375, LTSCG 500, LTSCG 625, LTSCG750, LTSCG875, NBMCG 1 NPT (9-5.5mm), NBMCG 1-1/2 (21-5.5mm), NBMCG 1-1/2 (9-8.9mm), NBMCG 1-1/2 NPT (11-7.7mm), NBMCG 1-1/4 (13-5.5mm), NBMCG 1-1/4 NPT (7-8.9mm), NBMCG 1-1/4 NPT (9-7.7mm), NBMCG 2 NPT (31-5.5mm), PSMCG 1 NPT (9-5.5mm), PSMCG 1-1/2 (21-5.5mm), PSMCG 1-1/2 NPT (11-7.7mm), PSMCG 1-1/2 NPT (9-8.9mm), PSMCG 1-1/4 (13-5.5mm), PSMCG 1-1/4 NPT (7-8.9mm), PSMCG 1-1/4 NPT (9-7.7mm), PSMCG 2 NPT (31-5.5mm)

RALCG, RNBCG, RPSCG or RSSCG, followed by 3/8 NPT, PG-9, or M16, for a cord range of 0.210" to 0.230".+

RALG, RNBCG, RPSCG or RSSCG, followed by 1/4 NPT, PG-7, or M12, for a cord range of 0.190" to 0.210".+

SMCG 1 NPT (3-8.3 + 6-3.3 mm)+, SMCG 1 NPT (9-5.5mm)+, SMCG 1-1/2 NPT (11-7.7mm)+, SMCG 1-1/2 NPT (21-5.5mm)+, SMCG 1-1/2 NPT (9-8.9)+, SMCG 1-1/4 NPT (13-5.5mm)+, SMCG 2 NPT (31-5.5mm)+, SMCG 3/4 NPT (5-5.5mm)+, SSMCG 1 NPT (9-5.5mm), SSMCG 1-1/2 NPT (11-7.7mm), SSMCG 1-1/2 NPT (21-5.5mm), SSMCG 1-1/2 NPT (9-8.9mm), SSMCG 1-1/4 NPT (13-5.5mm), SSMCG 1-1/4 NPT (7-8.9mm), SSMCG 1-1/4 NPT (9-7.7mm), SSMCG 2 NPT (31-5.5mm)

+ - These devices have been evaluated and found suitable for type 4, 4X, 6 or 6P.



Marking: Company name, model designation and the Recognized Component Mark for Canada,

Last Updated on 2017-07-12

Questions?

Print this page

Terms of Use

Page Top

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".