

**ONHR.E3810  
Lampholders, Medium Base**[Page Bottom](#)**Lampholders, Medium Base**[See General Information for Lampholders, Medium Base](#)**LEVITON MFG CO INC**

E3810

201 N SERVICE RD  
MELVILLE, NY 11747-3138 USA

Trademark and/or Tradename: "E3810"

**660 w, 600v**, Model(s) 8829, may be followed by suffix letters and/or numbers.**Bodies**, Model(s) 9347LC, 9347LC/1 to 9347LC /100**Bodies, for use in fixtures and portable lamps**, Model(s) 9347LSS, 9843LSS, 9852**Candle lampholders when installed with outer casing, keyless**, Model(s) 335**Candle lampholders when installed with outer casing, keyless**, Model(s) 335I, 4015-26, 639, 8683, 8684, 8684/A, 8684/B, 8684/C, 8684/D, 8684/E, 8684/F, 8684/G, 8684/H, 8685, 8686, 8687, 8688, 8688-1, 8688/1, 8688/10, 8688/11, 8688/12, 8688/13, 8688/14, 8688/15, 8688/16, 8688/17, 8688/18, 8688/19, 8688/2, 8688/20, 8688/3, 8688/4, 8688/5, 8688/6, 8688/7, 8688/8, 8688/9, 8689, 9800, 9800/C, 9801, 9801/A, 9801/D, 9802**Composition shell, keyless**, Model(s) 12052, 12052/1 to 12052/500, 12052/700 to 12052/999, 12898, 12899, 2054\*, 2054/1 to 2054/999\*, 2054/A to 2054/Z\*, 2062\*, 2062-1\*, 2062-2\*, 2062-3\*, 3052/1 to 3052/500\*, 3052/700 to 3052/999\*, 3052/A to 3052/Z\*, 3354\*, 3354-001 to 3354-226\*, 3552\*, 3552-1\*, 3552-2\*, 3552-3\*, 4015-30\*, 4015/1 to 4015/99\*, 4015A1-9 thru 4015Z1-9\*, 4015W-30W\*, 4015W/1 to 4015W/99\*, 4016W/1 to 4016W /10\*, 4017/1 to 4017/10\*, 4017W/1 to 4017W/10\*, 4020/81\***Composition shell, keyless**, Model(s) 4020A1-9 thru 4020Z1-9, with suffix letter A-D, H, J.**Composition shell, keyless**, Model(s) 4020W/81\*, 4031\*, 4031W\*, 4031W-1 to 4031W-100\*, 4033\*, 4033-1 to 4033-50\*, 4033-201 to 4033-300\*, 4033A1-9 thru 4033Z1-9\*, 4033W\*, 4033W-201 to 4033W-300\*, 4035, 8026, 8026/2, 8872, 8872/2 to 8872/20**Composition shell, keyless, for use in fixtures and portable lamps**, Model(s) 2052-/1 to 2052-/500 (a), 2052-/700 to 2052-/999 (a), 2052-A01 to 2052-E99 (a), 2052-C (a), 2052-K01 to 2052-K99 (a), 2052/A to 2052/Z (a), 2053 (a), 2053-1 to 2053-900 (a), 2552 (a), 2552-/1 to 2552-/500\*, 2552-K01 to 2552-K99\***Composition shells, keyless**, Model(s) 4031-034, 9063, 95040, 95043**Double filament, bodies**, Model(s) 10083/1LC to 10083/100LC, 10083M, 10733LC, 8090/1LC to 8090/10LC, 8090LC**double filament, for use in fixtures and portable lamps**, Model(s) 8090/1LSS to 8090/10LSS, 8090LSS**double filament, for use in portable lamps**, Model(s) 17069, 17069-1 to 17069-10, 17098, 17098-1 to 17098-50, 17099, 17099-1 to 17099-20**Double filaments**, Model(s) 12310, 12311, 7091, 7091/1 to 7091/10**Double filaments, for use in fixtures and portable lamps**, Model(s) 7092, 7092GR**E26 Medium bases, molded rubber, pendant type**, Model(s) 55**Electrolier, for use in fixtures and portable lamps**, Model(s) 10083/1LSS to 10083/100LSS, 10083GR, 10083M**Electroliers**, Model(s) 10083/1 to 10083/100, 10084, 10084-1 to 10084-199**Key, for use in fixtures and portable lamps**, Model(s) 10073LSS**Keys**, Model(s) 10073, 10073-GR, 10075-77, 10083, 7074, 7074/1 to 7074/10, 9331-35, 9343-44, 95085-1 to 95085-100, 95094, 95277, 95277-25, 95278, 95278-25, 95294, 9842, 9856/C**Lampholders, 660 w, 250 v**, Model(s) 4155, 4155/1 to 4155/400, 4155/500 to 4155/699, 4155I, 4155I/1 to 4155I/400, 4155I/500 to 4155I/699, 4157, 4157/1 to 4157/100, 4157I, 4157I/1 to 4157I/100, 4158, 4158-700 to 4158-900, 4158/1 to 4158/100, 4158I, 4158I/1 to 4158I/100**Lampholders, double filaments**, Model(s) 406I-1 to 406I-100, 95015, 95015/1 to 95015/100, 95090, 95090-50, 95093, 95290, 95291, 95291-25**Lampholders, for use in fixtures and portable lamps**, Model(s) 29805, 29805-1 to 29805-20, 4054, 4054-I, 4054-I/1 to 4054-I/20, 4054/1 to 4054/20, 4055, 4055/1 to 4055/100, 4058/100, 94054, 94054/1 to 94054/10**Medium base lampholders**, Model(s) 18315, may include a 3 digit suffix -xxx to distinguish the different screw shells and/or different brackets, suffixes may be any alphanumeric combination.**Medium base lampholders with pull chain switch mechanism**, Model(s) 5235**Medium base, brass shell, keyless lampholders**, Model(s) 9347**Medium bases lampholder, keyless**, Model(s) 19980M, 3352, 3352-1 to 3352-500, 3352-700 to 3352-999, 3352-A to 3352-Z, 3352-A01 to 3352-E99, 7080M, 7090M**Metal shells, keyless**, Model(s) 8011, 8021-22, 9554, 9843, 9851**Metal shells, keyless, porcelain lined, 660 w, 600 v**, Model(s) 8306-07

**Metal, shell medium base lampholders, Model(s)** 19980LSS-BR, 19980LSS-PG, 7090LSS

**Porcelain shell keyless, rated 660W, 250V, Model(s)** 10035, 10035-1, 10035-5, 10035/2, 10035/200 to 10035/219, 10035/220 to 10035/229, 10035/3, 10035/4, 10035/6 to 10035/100, 10036, 10037, 10038/5, 10038/6 to 10038/50, 10088, 10088/1, 10088/2, 10088/3, 10088/4, 10088/6, 70037, 70037-1 to 70037-20, 70038, 70038-1 to 70038-20

**Porcelain shell keyless, rated 660W, 600V, Model(s)** 70039, 70039-1 to 70039-20, 70040, 70040-1 to 70040-20

**Porcelain shell, keyless, Model(s)** 10045, 10051, 10059, 10087, 70035, 70036, 70045, 70046, 70047, 70048, 70049, 70050, 70051, 70052

**Porcelain shell, keyless, 660 w, 250 v, Model(s)** 38887-400

**Porcelain shell, keyless, 660 w, 600 v, Model(s)** 18877, 18877-1 to 18877-99, 19876, 19885, 20046-20050, 20052, 20089, 20089-0#, 20089-1#, 20089-2#, 20089-3#, 20089-4#, 20089-6# to 20089-399#, 28064, 28064/1 to 28064/100, 28811, 28811/1 to 28811/100, 28873, 28873/1 to 28873/100, 28881, 28881-101, 30, 38811, 38811/1 to 38811/100, 70046, 70046-1 to 70046-199, 70046-200 to 70046-399, 70050, 70050-1 to 70050-199, 70050-200 to 70050-399, 8885, 8885-2, 8887, 8887-600 to 8887-699, 8887/1 to 8887/200, 8888, 8976, 8976/1 to 8976/50, 9878, 9878-2, 9885, 9885-100, 9885-300 to 9885-399, 9885/1, 9885/10, 9885/13, 9885/2, 9885/4, 9885/6, 9885/7, 9885/8, 9885/9, 9893, 9893-1 to 9893-100, 9902

**Porcelain shell, keyless, bodies, Model(s)** 10035/1, 10035/2, 10035/3, 10035/4, 10035/5, 10045, 10045/1 to 10045/60

**Porcelain shell, keyless, bodies, 660 w, 600 v, Model(s)** 20045, 20045-500 to 20045-510

**Porcelain shell, keyless, bodies, for use in fixtures and appliances, Model(s)** 10035-2, 10035-3, 10035-4, 10035-6 to 10035-100, 10035/200 to 10035/219, 10038/5 to 10038/50, 10087, 10088, 70040, 70040-1 to 70040-20, 70049, 70049-1 to 70049-199

**Porcelain shell, keyless, double filament, Model(s)** 20035-37, 8252, 8252/1 to 8252/998, 8253, 8253-1 to 8253-999

**Porcelain shell, keyless, for factory assembly in appliances, Model(s)** 10030

**Porcelain shell, keyless, for use in fixtures and appliances, Model(s)** 18064, 18811, 18811/1 to 18811/100, 38887/1 to 38887/200, 4010-1 to 4010-20, 8064, 8064-400, 8064/000 to 8064/399, 8066, 8066/1 to 8066/100, 8675, 8873, 8873-500, 8873/1 to 8873/100, 8876, 8876-101, 8876-600, 8876-700 to 8876-710, 8876/1 to 8876/50, 8877, 8877/1 to 8877/50, 8880, 8881, 8881-101, 8881/1 to 8881/50, 9859, 9859/1 to 9859/99

**Porcelain shell, keyless, for use in fixtures and portable lamps, Model(s)** 10059, 10066-1, 10069, 12900, 20078, 20079, 20079/1 to 20079/50, 20080, 20080/1 to 20080/200, 3152, 3152-A01 to 3152-E99, 3152/1 to 3152/500, 3152/700 to 3152/999, 3152/A to 3152/Z, 3252, 3252/1 to 3252/500, 3252/700 to 3252/999, 3252/A to 3252/Z, 8052-A01 to 8052-E99, 8052-K01 to 8052-K99, 8052/1 to 8052/500, 8052/700 to 8052/799, 8052/801 to 8052/999, 8052/A to 8052/Z, 8053, 8053/1 to 8053/900, 8054, 8054-1 to 8054-999, 8054-1A to 8054-1Z, 8054-A to 8054-Z, 8062, 8062/1 to 8062/500, 8101, 8101-100, 8101/1 to 8101/20, 8102, 8152, 8152-A01 to 8152-E99, 8152-K01 to 8152-K99, 8152/1 to 8152/500, 8152/700 to 8152/999, 8690, 8693, 8693/1 to 8693/10, 8811-12, 8870-72, 8871-1 to 8871-25

**Porcelain shell, keyless, for use in fixtures and portable lamps, 660 w, 600 v, Model(s)** 20051, 28052, 28052/1 to 28052/500, 28052/700 to 28052/999, 28052/A to 28052/Z, 28101

**Porcelain shell, keyless, pilot light lampholder for use in appliances, Model(s)** 28101/1 to 28101/100, 8694/2, 8794, 8794/2

**Porcelain shell, keyless, pulse rating 660W, 600V, Model(s)** 18054 4KV

**Porcelain shells, keyless, Model(s)** 10023, 10023E, 10024, 10035-37, 10045, 10046-52, 10054-55, 10065, 10065-1, 10065-2, 10066, 10067, 10083, 10085, 10085-0#, 10085-1#, 10085-2#, 10085-3#, 10085-4#, 10085-6# to 10085-399#, 10087/1 to 10087/20, 10088/1, 10088/2, 10088/3, 10088/4, 10088/6, 10089, 10089-0#, 10089-1#, 10089-2#, 10089-3#, 10089-4#, 10089-6# to 10089-399#, 10091, 10091/1 to 10091/10, 10092, 10092/1 to 10092/10, 10093, 10093/1 to 10093/10, 10095, 10095/1 to 10095/10, 10096, 10096/1 to 10096/10, 20069-100, 20069-101, 20070-100, 20070-101, 20070-130, 20070-131, 20070-140, 20070-141, 20072-100, 20072-101, 20073-100, 20073-101, 20074-77, 24005-08, 29062, 3154, 3154-001 to 3154-199, 331, 373, 4005-08, 4010, 4010-50, 4011, 4012, 4110, 4110/1 to 4110/200, 432, 432/1 to 432/25, 49875, 632, 633, 633-100, 70036, 70036-10, 70036-100, 70036-101, 70036-102, 70036-103, 70036-11, 70036-12, 70036-13, 70036-2, 70036-4, 70036-800 to 70036-850, 70038, 70038-1 to 70038-20, 70049-200 to 70049-399, 8110, 8110-100, 8315, 8316, 8693F, 8878, 8878-1 to 8878-10, 9062, 9062-1, 9350, 9350-25, 9350-26, 9350-27, 9350-28, 9350-50, 9350/1 to 9350/10, 9351, 9827-28, 9831, 9837, 9880, 9880/2, 9880/3, 9880/4, 9882, 9882-2, 9883, 9885-200, 9885-400 to 9885-499, 9885-5, 9885/3

**Porcelain shells, keyless, 600 w, 600 v, Model(s)** 9909

**Pull chain lampholders, Model(s)** 9726, 9726/B, 9726/B-2, 9726/C, 9726A-2, 9726C-2

**Pull, 660 w, 250 v, Model(s)** 8305, 8309

**Pull, 660 w, 250 v, Model(s)** 19779, 19814, 19816A, 19816C, 19869

**Pull, double filament, for use in fixtures and portable lamps, 660 w, 250 v, Model(s)** 19712

**Pulls, Model(s)** 2010-B, 7997, 8007, 8815A to 8815C, 8816A to 8816C, 8816AX to 8816CX, 8826A to 8826C, 8826AI to 8826CI, 8826AW to 8826CW, 92010-B, 95995, 9803/E, 9804, 9806, 9807/1 to 9807/100, 9807/A to 9807/Z, 9809A, 9813-14, 9815A, 9815B, 9815C, 9819A-2, 9829, 9835-36

**Pulls, 660 w, 250 v, Model(s)** 95030, 95033, 95060

**Push bodies, Model(s)** 998-LC

**Pushes, Model(s)** 4065-B, 94065-B

**Pushes, 660 w, 250 v, Model(s)** 12344, 12459, 6095-98, 7000, 7080

**Pushes, 660 w, 250 v, for use in fixtures and portable lamps, Model(s)** 6098

**Weatherproof, composition shells, keyless, Model(s)** 12430, 156-57

**Weatherproof, composition shell, keyless, 660 v, Model(s)** 177

**Weatherproof, composition shell, keyless, for temporary use with stranded rubber-covered wires, No. 12 or 14 Awg, Model(s)** 12523, 167, 167-2, 167-4, 1671, 1671-2, 1671-4, 3167, 3167-2, 3167-4, 31671, 31671-2, 31671-4

(a) - May be followed by -849.

\* - With suffix letter and/or number.

Note - Catalog numbers can be displayed in the following format YYY - ABCDE - XXX, where YYY denotes optional 3-digit prefixes consist of alpha-numeric characters, ABCDE denotes the listed catalog numbers, where the listed/recognized catalog numbers are less than 5 digits, preceding 0s (zeros) can be optionally added to make up the 5 digits, XXX denotes optional 3-digit suffixes consist of alpha-numeric characters, where the listed catalog numbers already contain suffixes that are less than 3 digits, alpha-numeric character(s) can be optionally added to make up the 3 digits.

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".

**ONHR2.E3810**  
**Lampholders, Medium Base - Component**[Page Bottom](#)**Lampholders, Medium Base - Component**[See General Information for Lampholders, Medium Base - Component](#)**LEVITON MFG CO INC**

E3810

201 N SERVICE RD  
MELVILLE, NY 11747-3138 USA**Caps**, Model(s) 7128, 7130, 7132, 7133, 7134, 7135, 7140, 7141, 7142, 7143, 7144, 7146, 7147, 7148, 7151, 7159, 7161, 7180, 7183, 7184, 7195**Composition shell, key**, Model(s) 4155/700 thru /799**Composition shell, keyless**, Model(s) 2052**Lampholder interiors**, Model(s) 10072M, 10073M, 10083M, 12529, 12530, 17080M, 19980-10, 19980-13, 19980M, 6094-13, 6094M, 6155-M, 7065M, 7070M, 7080-13, 7080-75, 7080M, 7090-13, 7090M, 8002-13, 8002M, 8004-13, 8004M, 8005M, 9346-13, 9346M, 9347M, 9814M, 9842-13, 9842/2, 9842M, 9843-13**Medium base lampholders**, Model(s) 10065-100, 10065-101, 10065-102, 18876-500 thru -599, 38887-300, 6151, 6151-3, 6155, 6250-11, 70035, 70035-1, 70035-10, 70035-2, 70035-3, 70035-4, 70045, 70045-1 thru -200, 70045-800 thru -850, 70047-1 thru -200, 70048, 70048-1 thru -200, 70051-1 thru -399, 8052, 8052-800, 8053-901 thru -910, 8062-000 thru -999, 8063-000 thru -999, 8887-700 thru -799, 8889-2, 9347, 9347-LC**Porcelain shell, keyless**, Model(s) 10045X, 10085-200+, 10085-400+ thru -599+, 10085-5+, 10089+, 10089-400+ thru -599+, 20089+, 20089-400+ thru -599+, 20278, 20278-1 thru -500, 20279, 20279-1 thru -500, 8055, 8055/1 thru /100, 8056, 8056/1 thru /100, 8063, 8063/1 thru /500, 8886, 8887-500, 8889, 9880, 9880-50, 9889, 9889/1 thru /10, 9895, 9895/1 thru /10, 9900, 9900/1 thru /25, 9901, 9901/1 thru /25

+ - May be followed by three digit suffix consisting of A to Z or 2 to 9, followed by A or B, followed by A to Z.

Marking: Company name and model designation.

[Last Updated](#) on 2017-04-14[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".



**ONHR7.E3810**  
**Lampholders, Medium Base Certified for Canada**

[Page Bottom](#)

**Lampholders, Medium Base Certified for Canada**

[See General Information for Lampholders, Medium Base Certified for Canada](#)

**LEVITON MFG CO INC**

E3810

201 N SERVICE RD  
MELVILLE, NY 11747-3138 USA

**Medium base lampholders**, Model(s) 18315, may include a 3 digit suffix -xxx to distinguish the different screw shells and/or different brackets, suffixes may be any alphanumeric combination.

**Porcelain shell keyless, rated 660W, 250V**, Model(s) 10035, 10035-1, 10035-5, 10035/2, 10035/200 to 10035/219, 10035/220 to 10035/229, 10035/3, 10035/4, 10035/6 to 10035/100, 10036, 10037, 10038/5, 10038/6 to 10038/50, 10088, 10088/1, 10088/2, 10088/3, 10088/4, 10088/6, 70037, 70037-1 to 70037-20, 70038, 70038-1 to 70038-20

**Porcelain shell keyless, rated 660W, 600V**, Model(s) 70039, 70039-1 to 70039-20, 70040, 70040-1 to 70040-20

**Porcelain shells, keyless**, Model(s) 29062

**Pull chain lampholders**, Model(s) 9726, 9726/B, 9726/B-2, 9726/C, 9726A-2, 9726C-2

Note - Catalog numbers can be displayed in the following format YYY - ABCDE - XXX, where YYY denotes optional 3-digit prefixes consist of alpha-numeric characters, ABCDE denotes the listed catalog numbers, where the listed/recognized catalog numbers are less than 5 digits, preceding 0s (zeros) can be optionally added to make up the 5 digits, XXX denotes optional 3-digit suffixes consist of alpha-numeric characters, where the listed catalog numbers already contain suffixes that are less than 3 digits, alpha-numeric character(s) can be optionally added to make up the 3 digits.

Trademark and/or Tradename: "E3810"

[Last Updated](#) on 2017-03-18

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".