



IMPROVED CERTIFICATIONS SEARCH TOOL. REGISTER NOW!

[LEARN MORE](#)**ELBZ.E322665****Cord Sets and Power-supply Cords**[Page Bottom](#)**Cord Sets and Power-supply Cords**[See General Information for Cord Sets and Power-supply Cords](#)**NINGBO JIAJIE ELECTRONIC CO LTD**

E322665

XIAOLUXIA VILLAGE

SIMEN TOWN

YUYAO, ZHEJIANG 315472 CHINA

Trademark and/or Tradename: *JunFan*[Last Updated](#) on 2017-06-15[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".



IMPROVED CERTIFICATIONS SEARCH TOOL. REGISTER NOW!

[LEARN MORE](#)

ELBZ2.E322665

Cord Sets and Power-supply Cords - Component

[Page Bottom](#)

Cord Sets and Power-supply Cords - Component

[See General Information for Cord Sets and Power-supply Cords - Component](#)

NINGBO JIAJIE ELECTRONIC CO LTD

E322665

XIAOLUXIA VILLAGE

SIMEN TOWN

YUYAO, ZHEJIANG 315472 CHINA

Power Supply Cords Cat. No.	Cord or Wire AWG Size	Electrical Rating	Code
FT-5Z	18	10/125/250	—
	16	13/125/250	—
	14	15/125/250	—
FT-6Z	18	6/600	—
	16	8/600	—
	14	10/600	—



Marking: Company name, trademark *JunFan*, and catalog designation.

[Last Updated](#) on 2017-06-15

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".



IMPROVED CERTIFICATIONS SEARCH TOOL. REGISTER NOW!

[LEARN MORE](#)

ELBZ7.E322665

Cord Sets and Power-supply Cords Certified for Canada

[Page Bottom](#)

Cord Sets and Power-supply Cords Certified for Canada

[See General Information for Cord Sets and Power-supply Cords Certified for Canada](#)

NINGBO JIAJIE ELECTRONIC CO LTD

E322665

XIAOLUXIA VILLAGE

SIMEN TOWN

YUYAO, ZHEJIANG 315472 CHINA

Power supply cords

Cat. No.	ANSI/NEMA WD6 Config	Cord AWG	Cord Type	Electrical Rating Amps V
FT-2	1-15	18	NISPT-1, NISPT-2, SPT-1, SPT-2, HPN	10/125
		16	NISPT-2, SPT-2, HPN	13/125
FT-2A	1-15	18	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	10/125
		17	SVT, SVTO, SVTOO	12/125
		16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
FT-3	5-15	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SVT, SVTO, SVTOO, SPT-2, SPT-3, HPN, ST, STW, STO, STOW, STOO, STOOW	10/125
		16	SVT, SVTO, SVTOO, SPT-2, SPT-3, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/125
		16	HPN	15/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
		18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	10/125
FT-3A	5-15	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	10/125
		16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	15/125
		12	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	15/125
FT-3C	6-15P	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	10/250
		16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/250
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/250
FT-3K	5-15P	18	SVT, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	10/125
		16	SVT, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
FT-3W	5-15P	18	SVT, SPT-2, SPT-3, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	10/125
		16	SVT, SPT-2, SPT-3, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
FT-5	—	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	10/125, 250
		16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/125, 250
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	15/125, 250
JF715P-	L7-15P	16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW,	13/277

A			STOO, STOOV	
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOV, ST, STW, STO, STOW, STOO, STOOV	15/277
		12	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOV, ST, STW, STO, STOW, STOO, STOOV	15/277

Cord Connectors

Cat. No.	ANSI/NEMA WD6 Config	Cord AWG	Cord Type	Electrical Rating Amps V
FT-3B	5-15	16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOV	13/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOV	15/125
		12	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOV	15/125
FT-3CZ	6-15	16	SJT, SJTO, SJTW, SJTOW, SJTOOV, SJTOO, ST, STW, STO, STOW, STOO, STOOV	13/250
		14	SJT, SJTO, SJTW, SJTOW, SJTOOV, SJTOO, ST, STW, STO, STOW, STOO, STOOV	15/250
		12	SJT, SJTO, SJTW, SJTOW, SJTOOV, SJTOO	15/250

Special Use Cord Sets

Cat. No.	ANSI/NEMA WD6 Config	Cord AWG	Cord Type	Electrical Rating Amps V
JT3	—	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOV, SVT, SVTO, SVTOO, ST, STW, STO, STOW, STOO, STOOV	10/125, 250
	—	16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOV, ST, STW, STO, STOW, STOO, STOOV	13/125, 250
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOV	15/125, 250
JT4	—	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOV, SVT, SVTO, SVTOO, SPT-2	10/125, 250
ST2	—	18	SPT-1, SPT-2, NISPT-1, NISPT-2	7/125, 250



Trademark and/or Tradename: *iF*

[Last Updated](#) on 2018-04-04

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".



IMPROVED CERTIFICATIONS SEARCH TOOL. REGISTER NOW!

[LEARN MORE](#)

ELBZ8.E322665

Cord Sets and Power-supply Cords Certified for Canada - Component

[Page Bottom](#)

Cord Sets and Power-supply Cords Certified for Canada - Component

[See General Information for Cord Sets and Power-supply Cords Certified for Canada - Component](#)

NINGBO JIAJIE ELECTRONIC CO LTD

E322665

XIAOLUXIA VILLAGE

SIMEN TOWN

YUYAO, ZHEJIANG 315472 CHINA

Power-supply Cord Cat. No.	Cord or Wire AWG Size	Electrical Rating	Code
FT-5Z	18	10/125/250	d
	16	13/125/250	d
	14	15/125/250	d
FT-6Z	18	6/600	d
	16	8/600	d
	14	10/600	d

Codes:

- a - The strain relief bushing, if provided at the free end of the power-supply cord, has been investigated for 13.6 kg.
- b - The flexing relief bushing, if provided at the free end of the power-supply cord, has not been investigated.
- c - The suitability of the terminals, if provided as part of the power-supply cord, has not been investigated.
- d - The flexible cord or wire type and the ampacity of the cord or wire has not been investigated for use in specific equipment.



Marking: Company name, trademark , catalog designation and the Recognized Component Mark for Canada

[Last Updated](#) on 2017-06-15

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".