

RTRT.E13399 - RECEPTACLES FOR PLUGS AND ATTACHMENT PLUGS

Receptacles for Plugs and Attachment Plugs

See General Information for Receptacles for Plugs and Attachment Plugs

LEVITON MFG CO INC

201 N SERVICE RD
MELVILLE, NY 11747-3138 USA

E13399

Trademark and/or Tradename: "E13399"

Appliance, equipment and fixture outlets, Cat. Nos. ML1-MER, -1-PER, ML2-MER, -2-PER, ML3-MER, -3-PER, 306, 306/1 to 306/200 incl., 316, 316/1 to 316/200 incl., 369-101 to -150 incl., 753, 753I, 754, 777, 1304, 1304/1 to 1304/200 incl., 1306, 1306/1 to 1306/200 incl., 1308, 1308/1 to 1308/200 incl., 1316, 1316/1 to 1316/200 incl., 1369, 1369/1 to -400 incl., 1369-500, 1372, 1374, 1374-1 to -400 incl, 1374-500, 1374-725 to -799 incl., 1374-000, 1787, 5322, 9306/101 to 9306/200 incl., 12984, 12985.

Covers for single pin connectors, Cat. Nos. 15S31, 16S31.

Covers for Receptacles, Cat. Nos. WP4.

Hospital grade receptacles\ surge protective devices, Type 3, Cat. Nos.(+)(%) T8280, T8380, T8381.

Inlets, locking type, Cat. Nos. 6377-CR, 3777, SC637-7, CS827-5, CS847-5, 6375-CR, 3775, CS637-5, CS817-5, CS837-5, 7958. May be followed by 3 position alpha-numeric suffix.

Isolated ground receptacles, Cat. Nos. M5262-IG, M5362-IG, M1626-IG, M1636-IG. Special purpose connector. Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA, MSTWL-IG, MSTWL-SIG, MSTWL-WIG.

Isolated ground receptacles- hospital grade, Cat. Nos. M8200-IG, M8300-IG, MD820-IG, MD830-IG. Special purpose connector. Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA, MSTWL-IG, MSTWL-SIG, MSTWL-WIG.

Isolated ground receptacles- hospital grade provided with "Power Indicator", Cat. Nos. MP820-IG, MP830-IG, MDP82-IG, MDP83-IG. Special purpose connector. Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA, MSTWL-IG, MSTWL-SIG, MSTWL-WIG.

Isolated ground receptacles- tamper resistant, Cat. Nos. MT562-IG, MT563-IG, MT162-IG, MT163-IG. Special purpose connector. Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA, MSTWL-IG, MSTWL-SIG, MSTWL-WIG.

Isolated ground receptacles- tamper resistant-hospital grade, Cat. Nos. MT820-IG, MT830-IG, MDT82-IG, MDT83-IG. Special purpose connector. Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA, MSTWL-IG, MSTWL-SIG, MSTWL-WIG.

Receptacles, Cat. Nos. AC215, AC220, BR015 (*FS) , BR15, BR15-S, BR20, BR020(*DG) (*FS), BR20-S, CBR15, CBR20, CR15, CR15S, CR015, CR20, RR20, CR020, DR15S, R320, 23CM10 (*FS) , 23CM20 (*FS), 23CM046, 23CM036, 26CM10 (*FS) , 26CM20 (*FS) , 27CM10 (*FS), 27CM20 (*FS), 45CM60 (*FS) , 47CM10 (*FS) , 47CM60 (*FS) , 52CM62, 52CM-62-X, 53CM62, 53CM-62-X, 90, 91, 92, 224-49, 276-2, 276-7, 276IG, 277, 277-S, 277-7, 277IG, 278, 278-2, 278-7, 278IG, 279, 279-2, 279-7, 279IG, 658, 688IV, 688, 1215, 1215-4, 1215-4S(*SG), 1215-5, 1215-6, 1215-7, 1215-I, 1215S(*SG), 1215SS, 1228, 1254, 1254IG , 2310 (*FS) , 2310IG (*FS) , 2316, 2320 (*FS) , 2320IG (*FS) , 2326, 2330 (*FS) , 2330IG (*FS) , 2336, 2340, 2340IG, 2346, 2350, 2350IG, 2356, 2360 (*FS) , 2366, 2370, 2376, 2380, 2386, 2410 (*FS) , 2410IG (*FS) , 2416, 2420 (*FS) , 2420IG (*FS) , 2426, 2430, 2430IG, 2436, 2440 (*FS) , 2446, 2450, 2456, 2460, 2466, 2510 (*FS) , 2510IG (*FS) , 2520, 2520IG, 2526, 2530, 2530IG, 2546, 2576, 2610 (*FS) , 2610IG (*FS) , 2616, 2620 (*FS) . 2620IG (*FS) , 2626, 2630 (*FS) , 2630IG (*FS) , 2636, 2640, 2640IG, 2646, 2650, 2650-4, 2650A, 2650IG, 2656, 2660A, 2666, 2670, 2676, 2680, 2686, 2690, 2696, 2710 (*FS) , 2710IG (*FS) , 2716, 2720 (*FS) , 2720IG (*FS) , 2726, 2730, 2730IG, 2736, 2740, 2740IG, 2746, 2750, 2756, 2760, 2766, 2770, 2776, 2810 (*FS) , 2810IG (*FS) , 2816, 2820, 2820IG, 2826, 2830, 2830IG, 2836, 3326, 3330, 3335, 3430, 3435, 3520, 3525, 3720, LR142, LR530, LR630, LR143, LR520, 4550CR (*FS) , 4550FR (*FS) , 4560(*FS), 4560IG, 4560SIG, 4560SS, 4585C, 4700(*SG), 4700CR (*FS) , 4700FIG(*SG), 4700FR (*FS) , 4700IGI(*SG), 4700IGM(*SG), 4700IGR(*SG), 4702, 4703 , 4710 (*FS) , 4710FIG, 4710IG, 4710IGI, 4710IGM, 4710IGR, 4710SIG, 4710SS, 4715C, 4750, 4750CR (*FS) , 4750FIG, 4750FR (*FS) , 4750IGI, 4750IGM, 4750IGR, 4760 (*FS) , 4760FIG, 4760IGI, 4760IGM, 4760IGR, 4760IG, 4760SIG, 4760SS, 4785C, 4792, 4794, 4795, 4870, 4870SS, 5014, 5014-3, 5014-3S(*SG), 5014-4, 5014-4S(*SG),

5014-7, 5014-7S(*SG), 5014S(*SG), 5014-49, 5014GY, 5015, 5015-4, 5015GY, 5015S(*SG), 5028, 5029, 5029-49, 5029S(*SG), 5031, 5031S(*SG), 5032, 5033, 5034, 5040(*SG), 5050, 505W, 5054, 5054-2, 5071, 5072, 5073, 5075, 5076, 5077, 5088, 5088S(*SG), 5089, 5089(*SG), 5098AC, 5145, 5146, 5181, 5181G, 5184G, 5206, 5207, 5238, 5242(*SG), 5242FIG(*SG), 5242IGI(*SG), 5242IGM(*SG), 5242IGR(*SG), 5242AA, 5247-2, 5247-49, 5248, 5248-2, 5248A(*SG), 5248-2S(*SG), 5248-4, 5248-4GY, 524804S(*SG), 5248IV, 5248GY, 5248S(*SG), 5248W, 5248X, 5250, 5251(*SG)(*FS), 5251FIG(*SG), 5251IGI(*SG), 5251IGM(*SG), 5251IGR(*SG), 5252(*SG)(*FS), 5252-X, 5252FIG(*SG), 5252IGI(*SG), 5252IGM(*SG), 5252IGR(*SG), 5252SS(*SG), 5258, 5258SS, 5279C, 5284SS, 5290(*SG), 5290FIG(*SG), 5290IGM(*SG), 5290IGR(*SG), 5292(*SG), 5292FIG(*SG), 5292IGI(*SG), 5292IGM(*SG), 5292IGR(*SG), 5319-4S(*SG), 5319-5S(*SG), 5319-6S(*SG), 5319-10S(*SG), 5319S(*SG), 223, 5320, 5320-4, 5320-4I, 5320-4S(*SG), 5320-5, 5320-5I, 5320-5S(*SG), 5320-6, 5320-6I, 5320-6S(*SG)5320-8, 5320-10, 5320I, 5320-10S(*SG), 5320S(*SG), 5320W, 5320X, 5320XI, 5320Y, 5320YI, 5320YE, 5320YG, 5320YM, 5320Z, 5320ZE, 5320ZG, 5320ZI, 5320ZM, 5320ZW, 5321, 5325, 5325-4S(*SG), 5325-5, 5325-5S(*SG), 5325W, 5326, 5328, 5331S(*SG), 5340(*SG)(*FS), 5342(*SG)(*FS), 5342FIG(*SG), 5342IGI(*SG), 5342IGM(*SG), 5342IGR(*SG), 5348, 5351(*SG), 5351FIG(*SG), 5351IGI(*SG), 5351IGM(*SG), 5351IGR(*SG), 5352(*SG)(*FS), 5352-X, 5352FIG(*SG), 5352IGI(SG), 5352IGM(*SG), 5352IGR(*SG), 5362-X, 5371, 5371IG, 5372, 5372-8, 5372IG, 5373, 5373IG, 5374, 5374IG, 5375, 5376, 5377, 5378, 5458, 5458AA, 5461, 5461FIG, 5461IGI, 5461IGM, 5461IGR, W5461, 5479C, 5484SS, 5496, 5558, 5558SS, 5585, 5585FIG, 5585IGI, 5585IGM, 5585IGR, 5585S(*SG), 5588, 5651(*SG), 5651FIG(*SG), 5651IGI(*SG), 5651IGM(*SG), 5651IGR(*SG), 5652(*SG), 5652FIG(*SG), 5652FSN(*FS), 5652IGI(*SG), 5652IGM(*SG), 5652IGR(*SG), 5658, 5658SS, 5661(*SG), 5661FIG(*SG), 5661IGI(*SG), 5661IGM(*SG), 5661IGR(*SG), W5661, 5675, 5675-I, 5675-W, 5684SS, 5800, 5800S(*SG), 5801, 5801-4, 5801S(*SG), 5803, 5821, 5821I, 5821S(*SG), 5822, 5822I, 5822S(*SG), 5823, 5823I, 5823S(*SG), 5824, 2824AC, 5824I, 5824S(*SG), 5830, 5830S(*SG), 5831, 5833S(*SG), 5842, 5842FIG, 5842I, 5842IGI, 5842IGM, 5842IGR, 5842S(*SG), 5844, 5844FIG, 5844I, 5844IGI, 5844IGM, 5844IGR, 5844S(*SG), 5888, 5891, 5891S(*SG), 5896, 5896-4, 5896-5, 5896S(*SG), 6369CR, 6370-CR, 7310, 7313, 7409, 7410, 8330FR, 8350FR, 8360FR, 8430FR, 8450FR, 8460FR, 9460FR, 9730FR, 9750FR, 12650, 12660, 12958S(*SG), 12959S(*SG), 12960S(*SG), 12961S(*SG), 15379C, 15679C, 16241, 16242, 16242IG, 16242LIG, 16251, 16252, 16252-L, 16252AC, 16262, 16262-X, 16262IG, 16262LIG, 16292(*SG), 16341, 16342, DR20, 16351, 16352, 16352-X, 16352-L, 16352AC, 16362, 16362-X, 16362IG, 16362LIG, 16441, 16442, 16451, 16452, 16462, 16462-X, 16641, 16651, 16652, 16662, 16662-X, 21254, 21254IG, 25014, 25014BU, 25014E, 25014GN, 25014GY, 25014I, 25014RO, 25014TA, 25014W, 25014WT, 25675, 30815, 31327, 55014, 55014I, 55014S(*SG), 55015S(*SG), 55028, 55028I, 55028S(*SG), 55029, 55029I, 55029S(SG), 55050, 55054, 55088S(*SG), 55089, 55089I, 55089S(*SG), 55096, 55096I, 55096S(SG), 55098, 55098I, 55098S(*SG), 55800, 55800I, 55800S(*SG), 55801, 55801I, 55801S(*SG), 55891, 55891I, 55891S(*SG), 55896, 55896I, 55896S(*SG), 59000S(*SG), 59001S(*SG), 59002S(*SG), 59003S(*SG), 59014S(*SG), 59015, 59015I, 59015S(*SG), 59016S(*SG), 59021S(*SG), 59022S(*SG), 59023S(*SG), 59024S(*SG), 59028S(*SG), 59029S(*SG), 59088S(*SG), 59089S(*SG), 59096, 59096I, 59096S(*SG), 59098S(*SG), 70515FCR (*FS) M, 70515FIG, 70515FR (*FS), 70515SIG, 70515SS, 70520FCR (*FS), 70520FI, 70520FIG, 70520FR (*FS), 70530FCR (*FS), 70530FIG, 70530FCR (*FS), 70615FCR, 70615FUG, 70615FR (*FS), 70615SIG, 70615SS, 70620FCR (*FS), 70620FIG, 70620FR (*FS), 70630FCR (*FS) 70630FIG, 70630FO, 70630FR (*FS), 70715FCR, 70715FIG, 70715FR (*FS), 70715SIG, 70715SS, 70720FCR (*FS), 70720FIG, 70720FR (*FS), 70730FCR (*FS), 70730FIG, 70730FR (*FS), 70820FIG, 70820FR, 70830FIG, 70920FIG, 70920FR, 70930FIG, 70930FR, 70930FO, 70930FR, 71020FCR (*FS), 71020FR (*FS), 71030FR, 71030FO, 71030FR, 71115SS, 71115FR, 71120FO, 71120FR, 71130FO, 71130FR, 71220FO, 71220FR, 71230FO, 71230FR, 71330FO, 71330FR, 71420FCR (*FS), 71420FIG, 71420FR (*FS), 71430FCR (*FS), 71430FIG, 71330FO, 71430FR (*FS), 71520FCR(FG), 71520FIG, 71520FCR (*FS), 71530FCR (*FS), 71530FIG, 71530FO, 71530FR (*FS), 71620FIG, 71620FO, 71620FR, 71630FIG, 71630FO, 71630FR, 71730FIG, 71730FO, 71730FR, 71820FCR (*FS), 71820FR (*FS), 71830FO, 71830FR, 72030FO, 72030FR, 72120FIG, 72130FCR(*FS)72130FIG, 72130FR (*FS), 72220FIG, 72230FIG, 72320FIG, 72330FIG, 72430FCR (*FS), 72430FR (*FS), 72530FCR (*FS), 72530FR (*FS), 72630FCR (*FS), 72630FR (*FS), 72730FCR (*FS), 72730FR (*FS), D5675, 5262-L, 5362-L, WBR15, WBR20, 5461.

Receptacles, Cat. Nos. OCR15, OCR20, OBR15, OBR20, C5262, C5362, 5262-S, 5362-S, 05252, 05352, 16242, 16342, 16252, 16352.

Receptacles, hospital grade, Cat. Nos. C8200, C8300.

Receptacles, weather resistant, Cat. Nos. WBR15, WBR20, W5252, W5352, WDR15, WDR20.

Receptacles, TR, Cat. Nos. TCR15, TCR20, TBR15, TBR20, T5262, T5362, TDR15, TDR20.

Receptacles, TR, hospital grade, Cat. Nos. C8200-SG, C8300-SG.

General grade receptacles, one piece ground, L5262-XXX, L5362-XXX.

General grade receptacles, isolated ground, CR15-IGX, CR20-IGX, 5262-IGX, 5362-IGX, 16262-IGX, 16362-IGX.

Hospital grade receptacles, one piece ground, 8200-HXX, 8300-HXX.

Hospital grade receptacles, isolated ground, 8200-IGX, 8300-IGX, D8200-IGX, D8300-IGX.

Hospital grade receptacles, weather resistant, one piece ground, W8200-XXX, W8300-XXX.

Hospital grade receptacles, weather resistant, isolated ground, W8200-IGX, W8300-IGX.

Tamper resistant receptacles, isolated ground, TCR15-IGX, TCR20-IGX, T5262-IGX, T5362-IGX, TDR15-IGX, TDR20-IGX, T1626-IGX, T1636-IGX.

Tamper resistant receptacles, hospital grade, one piece ground, T8200-XXX, T8300-XXX.

Tamper resistant receptacles, hospital grade, isolated ground, T8200-IGX, T8300-IGX, DT820-IGX, DT830-IGX.

Tamper resistant receptacles, weather resistant, isolated ground, WT562-IGX, WT563-IGX, WTD15-IGX, WTD20-IGX.

Tamper resistant receptacles, hospital grade, weather resistant, isolated ground, WT820-IGX, WT830-IGX.

Tamper resistant receptacles, weather resistant, hospital grade, one piece ground, WT820-XXX, WT830-XXX.

Receptacles, TR, weather resistant, Cat. Nos. TWR15, TWR20, WTD15, WTD20, TWD15, TWD20.

Receptacles, hospital grade, Cat. Nos. 1254HG, 5261(*SG), 5261CR(*SG), 5261FIG, 5261IGI, 5261IGM, 5261IFGR, W5261, 5262(*SG)(*FS), 5262-XSG, 5262A (*FS) , 5262CR(*SG), 5262FIG, 5262HL, 5262IGI, 5262IGM, 5262IGR, 5262-S, 5262-XIG, 5262XIG, 5262LIG, 5262LXIG, 5262SG (*FS), 5262SGG, 5262SGI, 5262SGM, 5262SGR, 5262SGW, 5262SIG (*FS), 5262SIGG, 5262SIGI, 5262SIGM, 5262SIGR, 5262SIGW, 5361(*SG)(*FS) , 5361CR(*SG)53691FIG, 5361IGI, 5361IGM, 5361IGR, W5361, 5362(*SG)(*FS), 5362-XSG, 5362 (*FS), 5362CR(*SG), 5362FIG, 5362HL, 5362IGI, 5362IGM, 5362IGR, 5362LIG, 5362LXIG, 5362-S, 5362SG(*FS), 5362S6G, 5362XIG, 5462 (*FS), 5462-X, 5462FSN, 5462HG (*FS), 5662(*SG), 5662-X, 5662FIG(SG), 5662FSN(SG) (*FS), 5662HG(*DG)(FG), 5662IGI(*SG), 5662IGM(*SG) (*FS), 5662IGR(*SG), 5662FSN(SG) (*FS), 8200 (*FS), 8200F, 8200-X, 8200H (*FS), 8200-L(*FS), 8200HL (*FS), 8200-PL(*FS), 8200SG, 8200F-SG, 8210 (*FS), 8210IG, 8300 (*FS), 8300F, 8300H (*FS), 8300-L(*FS), 8300HL (*FS), 8300-PL(*FS), 8300SG, 8300F-SG, 8300-XH, 8200-XH, 8300-X, 8310 (*FS), 8381IGW, 8381R, 8381W, 8400 (*FS), 8400-X, 8600 (*FS), 8600-X, 16262HG, 16262-XHG, 16262=PL, 16262SG, 16262SIG, 16362HG, 16362-XHG, 16362-XIG, 16252-X, 16362-PL, 16462HG, 16662HG, 16662IG, 16662LIG, 21254HG, L8200 (*FS) , L8300 (*FS) , L8400 (*FS), L8600 (*FS), 8200-XIG, 8300-XIG, MRI82 (*FS), MRI83 (*FS).

Receptacles, locking type, Cat. Nos. 6370CR, 3771, CS637, CS826-9, CS846-9, 6369-CR, 3769, CS636-9, CS816-9, CS836-9, 7379. May be followed by 3 position alpha-numeric suffix.

Cat. Nos. 2310, 2320, 2330, 2340, 2350, 2360, 2370, 2380, 2410, 2420, 2430, 2440, 2450, 2460, 2510, 2520, 2530, 2610, 2620, 2630, 2640, 2650, 2660, 2670, 2680, 2690, 2710, 2720, 2730, 2740, 2750, 2760, 2770, 2810, 2820, 2830, with or without Suffixes A, B and IG; 23CM-10, 23CM-20, 26CM-10, 26CM-20, 27CM-10, 27CM-20; *23CM-30, 24CM-20, 24CM-30, 27CM-30, 70520, 70620, 70720, 70820, 70920, 71020, 71120, 71220, 71420, 71520, 71620, 71820, 71920, 72020, 72120, 72220, 72320, 70530, 70630, 70730, 70830, 70930, 71030, 71130, 71230, 71330, 71430, 71530, 71630, 71730, 71830, 71930, 72030, 72130, 72220, 72230, 72330, 72430, 72530, 72630, 72730 with Suffixes FI, FR and FIG; Cat. No. 3720; Cat. Nos. LR142, LR530, LR143, LR520, LR630.

Receptacles, modular, Cat. Nos. M5262, M5262-S, M5262-SG, M5362, M5362-S, M1626, M1636, M1626-B, M1636-B, M5262-IL, M5362-IL; Special purpose connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-XXX, MSTWL-00A, MSTWL-SDA.

Receptacles, modular, hospital grade, Cat. Nos. M8200, M8200-H, M8300, M8300-H, M8200-PL, M8300-PL, MRI15, MRI20, M1626-HG, M1626-PL, M1636-HG, M1636-PL, M8200-IL, M8300-IL; Special purpose connector, Cat. Nos. MSTWL, MSTWL-00A, MSTWL-SDA, M1626-IL, M1636-IL.

Receptacle - Split Contact , M5262-XCX, M5362-XCX, M1626-XCX and M1636-XCX where the X's can be any Letter or number indicating but not limited to color or packaging.

Receptacle - Controlled Split Contact , M5262-1XX, M5362-1XX, M1626-1XX and M1636-1XX where the X's can be any Letter or number indicating but not limited to color or packaging.

Tamper Resistant Receptacle - Split Contact , MT562-XCX, MT563-XCX, MT162-XCX and MT163-XCX where the X's can be any Letter or number indicating but not limited to color or packaging.

Tamper Resistant Receptacle , Controlled Split Contact - MT562-1XX, MT563-1XX, MT162-1XX and MT163-1XX where the X's can be any Letter or number indicating but not limited to color or packaging.

Receptacles\surge protective devices, Type 3, Cat. Nos.(+) 5480+, 5480-IG+, 5490+, 5490-IG+.

Cat. Nos.(+)(%) T5280, T5285, T5380, T7280, T7380.

Cat. No.(+) ACSR6 followed by -ALA, -QTZ, -NTL, -SND, -DFT, -SLT, -ONX.

Cat. Nos.(+) 5280, 5380, 5280-IG, 5380-IG, 7280, 7380, 7280-IG, 7380-IG , ACSSR may be followed by E, GY, I, R, or W.

Tamper resistant receptacles with seperable terminal assemblies/surge protective devices, Type 3 SPD, Cat. Nos.(+) MT528, MT538, MT72, MT738, may be followed by suffixes.

Receptacles/surge protective devices, Type 3, hospital grade, Cat. Nos.(+) 8480-HG, 8480-HG-IG, 8490-HG, 8490-HG-IG, 8280, 8280-IG, 8380, 8380-IG, 8381.

Tamper resistant hospital grade receptacles with seperable terminal assemblies/surge protective devices, Type 3 SPD, Cat. Nos.(+) MT828, MT838, may be followed by suffixes.

Receptacles, tamper resistant, duplex, Cat. Nos. 5321, 5326, CR15S, DR15S.

Cat. Nos. TBR15, TBR20, TDR15, TDR20, TCR20, TCBR2.

Cat. Nos. TBR15, TDR15, TCR15, TCBR1.

Cat. Nos. T5320, T5325.

Cat. Nos. T5820, T5825.

Cat. Nos. RER15, RER20.

Receptacles, tamper resistant, hospital grade, Cat. No. 16262-SG, 16362-SG, D8200, D8300, D8200F, D8300F.

Receptacles, tamper resistant, modular, Cat. Nos. M5262-SG, MT162, MT562-S, M5362-SG, MT163, MT563-S, MT526-IL, MT536-IL; Special purpose connectors, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA.

Receptacles, tamper resistant, modular, hospital grade, Cat. Nos. M8200-SG, MT162-HG, MT820, M8300-SG, MT163-HG, MT830, MT162-IL, MT163-IL; Special purpose connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA.

Receptacles, tamper resistant, single, Cat. Nos. T5015, T5020, T5461, T5661, W5461-T, W5661-T.

Receptacles, tamper resistant, single with nightlight, Cat. No. T6525.

Receptacles, tamper resistant, weather resistant, Cat. No. TWR15.

Cat. No. TWR15, TWR20.

Cat. No. W5320.

Cat. Nos. W5820, W5825.

Receptacles, triplex type, Cat. Nos. AC315, AC320.

Receptacles with cover plates, Cat. Nos. 67W08, 67W09, 67W47, 67W48, 67W49, 67W74, 67W75, 67W76, 67W81, 67W82, 67W83, 69W08, 69W09, 69W47, 69W48, 69W49, 69W74, 69W75, 69W76, 69W77, 69W81, 69W82, 69W83, 60W33, 60W47, 60W49, 65W34, 65W47, 65W49, 37820, 37830.

Receptacles with cover plates, Cat. Nos. LNR96-1, LNR96-2, LNR96-3, LNR96-4, LNR96-5, LNR96-6, LNR96-7.

Receptacles tamper resistant with USB outlets, Cat. Nos. T5630, T5830 with 3 digit suffixes consisting of letters, numbers or the combination of both to denote different colors, and USB ratings.

General-purpose locking type:

Cat. No.	No. Poles	No. Wire	Rating	Note
060-20403-00L	3- pole	4- wire	30 A, 600 V ac; 20 A, 250 V dc	—
060-23000-LHG	2- pole	3- wire	20 A, 125 Vac	—

Note: This listing includes any of the above catalog numbers with the added suffix letters BLG, BLK, Bp, BR, VU, E, EB, G, GN, GP, GY, I, IV, MA, PK, R, RD, SP, TA, W, WH or YL and/or suffix letters CP and/or prefix numbers 800 thru 809. These catalog numbers may be provided with suffixes -A thru -Z, -AA thru -ZZ, -AAA thru -ZZZ and -1 thru -50. The suffixes designate colors and differences in packaging and may also be presented in a combined alphanumeric format. The suffix IG indicated isolated ground construction (*SG) Self grounding, (*FS). Also evaluated for compliance with Federal Specification W-C-596.

(+) Complementary listed as VZCA under E317603.

(%) May be followed by suffixes.

[Click here to view the Colombia Market Access Certification](#)

Last Updated on 2018-11-27

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"



RTRT2.E13399 - RECEPTACLES FOR PLUGS AND ATTACHMENT PLUGS - COMPONENT

Receptacles for Plugs and Attachment Plugs - Component

See General Information for Receptacles for Plugs and Attachment Plugs - Component

LEVITON MFG CO INC

E13399

201 N SERVICE RD
MELVILLE, NY 11747-3138 USA

Receptacles Model(s) 1306, 1306/1 to 1306/200, 1306/300 to 1306/399, 1306W, 1306W/1 to 1306W/200, 1316, 1316/1 to 1316/200, 1316W, 1316W/1 to 1316W/200, 1374-699, 16252-DIN, 277-9, 278PM, 279PM, 297-1 to 297-100, 297W-1 to 297W-100, 298-1 to 298-100, 298-1 to 298-150, 298-300 thru 298-399, 298W-1 to 298W-100, 299-1 to 299-99, 306, 306/1 to 306/200, 306W, 306W/1 to 306W/200, 316, 316/1 to 316/200, 316W, 316W/1 to 316W/200, 5172, 5242-RC, 5262-SS, 5362-SS, 5462-SS, 5662-SS, 71430-OEM, 9306, 9306/1 to 9306/200, B5361

NOTE - This list includes catalog numbers with suffix letters BLK, BU, GN, I, IV, MA, PK, RD, SP, TA, W, or YL and/or the suffix CP.

[Click here to view the Colombia Market Access Certification](#)

Marking: Company name or tradename "E13399" , "Leviton" and model designation.

Last Updated on 2018-11-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

RTRT7.E13399 - RECEPTACLES FOR PLUGS AND ATTACHMENT PLUGS CERTIFIED FOR CANADA

Receptacles for Plugs and Attachment Plugs Certified for Canada

See General Information for Receptacles for Plugs and Attachment Plugs Certified for Canada

LEVITON MFG CO INC

201 N SERVICE RD
MELVILLE, NY 11747-3138 USA

General-purpose non-locking type:

E13399

Cat. No.	No. Poles	No. Wire	Rating	Note
5362SG, 5362-XSG, 8300SG, 8300F-SG	2	3	20A-125V	Back and side wired.
5262SG, 8200SG	2	3	15A-125V	Back and side wired
8200F-SG	2	3	15A-125V	Back and side wired
060-23000-LHG	2- pole	3- wire	20 A, 125 Vac	—
060-20403-00L	3- pole	4- wire	30 A, 600 V ac; 20 A, 250 V dc	—

Midget locking type:

Cat. No.	No. Poles	No. Wire	Rating	Note
ML1-MER,ML1-PER	2	2	15A-125V	Flanged inlet.
ML2-MER,ML2-PER	2	3	15A-125V	Flanged inlet.
ML3-MER,ML3-PER	3	3	15A-125/250V	Flanged inlet.

Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
ACSSR (+)	2	3	15A-125V	Backwired
306, 306W, 1304,	2	2	15A-125V	With lead wiring
1304I, 1304W, 1306,				
1306W, 1308, 1308I,				
1308W, 1316, 1316W,				
9306, 12984 with,				
suffixes 1 to 200				

5320	2	3	15A, 125V	Back and Sidewired
5325	2	3	15A, 125V	Back and Sidewired
5320-X	2	3	15A, 125V	Back and Sidewired
5320-XI	2	3	15A, 125V	Back and Sidewired
5320-Y	2	3	15A, 125V	Back and Sidewired
5320-YI	2	3	15A, 125V	Back and Sidewired
5320-YW	2	3	15A, 125V	Back and Sidewired
5320-YG	2	3	15A, 125V	Back and Sidewired
5320-YE	2	3	15A, 125V	Back and Sidewired
5320-YM	2	3	15A, 125V	Back and Sidewired
5320-Z	2	3	15A, 125V	Back and Sidewired
5320-ZI	2	3	15A, 125V	Back and Sidewired
5320-ZW	2	3	15A, 125V	Back and Sidewired
5320-ZG	2	3	15A, 125V	Back and Sidewired
5320-ZE	2	3	15A, 125V	Back and Sidewired
5320-ZM	2	3	15A, 125V	Back and Sidewired
1215	2	3	15A, 125V	Back and Sidewired
1215-I	2	3	15A, 125V	Back and Sidewired
1215-4	2	3	15A, 125V	Back and Sidewired
1215-5	2	3	15A, 125V	Back and Sidewired
1215-6	2	3	15A, 125V	Back and Sidewired
1215-7	2	3	15A, 125V	Back and Sidewired
1215-SS	2	3	15A, 125V	Back and Sidewired
1228	2	3	15A, 125V	Back and Sidewired
5280 (+)	2	3	15A-125V	Backwired
5280-IG (+)	2	3	15A-125V	Backwired
5380 (+)	2	3	20A-125V	Backwired
5380-IG (+)	2	3	20A-125V	Backwired
276, 278,278-IG	3	4	30A-125/250V	Backwired
277,279,279-IG	3	4	50A-125/250V	Backwired
AC215	2	3	15A, 125V	Backwired

AC220	2	3	20A, 125V	Backwired
AC315	2	3	15A, 125V	Sidewired
AC320	2	3	20A, 125V	Sidewired
ACSR6	2	3	15 A, 125 V	Lead Wiring
5242, -I	2	3	15 A, 125 V	Duplex, Side Wire Only
5252, -I, 5252-X	2	3	15 A, 125 V	Duplex, Back and Side
5251, -I	2	3	15 A, 125 V	Single, Side Wire Only
5261, -I	2	3	15 A, 125 V	Single, Back and Side
5262, -I, -CR, -A, BR015, - S, 5262-X	2	3	15 A, 125 V	Duplex, Back and Side
5351, -I	2	3	20 A, 125 V	Single, Side Wire Only
5352, -I, 5352-X	2	3	20 A, 125 V	Duplex, Back and Side
5361, -I, -CR, W5361	2	3	20 A, 125 V	Single, Back and Side
5362, -A, -I, -CR, -BR020, -S, 5362-X, 53CM-62-X, 53CM-62	2	3	20 A, 125 V	Duplex, Back and Side
5342, -I	2	3	20 A, 125 V	Duplex, Side Wire Only
5461, W5461	2	3	15 A, 125 V	Single, Side Wire Only
5652, 5662-FSN	2	3	15 A, 250 V	Duplex, Back and Side
5462, -FSN, 5462-X	2	3	20 A, 250 V	Duplex, Back and Side
5651, 5661, W5661	2	3	15 A, 250 V	Single, Back and Side
5662, -FSN, 5662-X, 16252-X, 16252	2	3	15 A, 250 V	Duplex, Back and Side
BR15, BR15-S, CBR15	2	3	15 A, 125 V	Duplex, Back and Side
5098 AC	2	3	15 A, 250 V	Duplex, Back and Side
BR20, BR20-S, CBR20	2	3	20 A, 125 V	Duplex, Back and Side

5824 AC	2	3	20 A, 250 V	Duplex, Back and Side
WBR15	2	3	15 A, 125 V	Duplex, Back and Side
WBR20	2	3	20 A, 125 V	Duplex, Back and Side
T5820, T5825, W5820, W5825	2	3	20 A, 125 V	Duplex, Side
T5280%+, T5285%+, T7280%+	2	3	15 A, 125 V	Duplex, Back and Side
T5380%+, T7380%+	2	3	20 A, 125 V	Duplex, Back and Side
276, 278, 278-IG	3	4	30 A, 125/250V	—
277279, 279-IG	3	4	50 A 12/250V	—
5206, 5207	3	3	50 A 12/250V	—
7313	2	3	30 A, 125V	—
5371, 5371-IG	2	3	30 A, 125 V	—
5372, 5372-IG, 5372-8	2	3	30 A, 250 V	—
5373, 5373-IG	2	3	50 A, 125 V	—
5374, 5374-IG	2	3	50 A, 250 V	—
9730-FR	2	3	30 A, 277 V ac	—
9750-FR	2	3	50 A, 277 V ac	—
5050	3	3	50 A, 125/250 V ac	Single
5375	2	3	30 A, 125 V ac	Single
5376	2	3	30 A, 250 V ac	Single
5377	2	3	50 A, 125 V ac	Single
5378	2	3	50 A, 250 V ac	Single
5054, 5054-2	3	3	30 A, 125/250 V ac	Single
T5461, W5461-T	2	3	15A, 250Vac	Single
T5661, W5661-T	2	3	20A, 250Vac	Single

Hospital Grade Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
----------	-----------	----------	--------	------

8280 (+)	2	3	15A-125V	Backwired
8280-IG (+)	2	3	15A-125V	Backwired
8380 (+)	2	3	15A-125V	Backwired
8380-IG (+)	2	3	20A-125V	Backwired
8381 (+)	1	3	20A-125V	Backwired and Sidewired
R320	2	3	15A-125V	Side wired
7280 (+)	2	3	15A-125V	Backwired
7380 (+)	2	3	20A-125V	Back wired
7280-IG (+)	2	3	15A-125V	Back wired
7380-IG (+)	2	3	20A-125V	Back wired
5252 -HG, -HGI	2	3	15 A, 125 V	Duplex, Back and Side
5261-HG, HGI, W5261	2	3	15 A, 125 V	Single, Back and Side
5262-HL, 5262-XIG	2	3	15 A, 125 V	Duplex, Back and Side
8200, 8200F, -I, HL,-H, -L8200, 8200-X, 8200-XIG, MRI82 (*FS), MRI83 (*FS)	2	3	15 A, 125 V	Duplex, Back and Side
8210, -I	2	3	15 A, 125 V	Single, Back and Side
5262-XIG, 52CM-62-X, 52CM-62	2	3	15 A, 125 V	Duplex, Back and Side
5361-HG HGI	2	3	20 A, 125 V	Single, Back and Side
5362-HL, XIG, 5362-XIG	2	3	20 A, 125 V	Duplex, Back and Side
8310, -I	2	3	20 A, 125 V	Single, Back and Side
8300F, 8300H	2	3	20 A, 125 V	Duplex, Back and Side

8300-I, L8300, 8300-XIG	2	3	20 A, 125 V	Duplex, Back and Side
8300 HL, HLI, 8300-XH, 8200-XH, 8300-X	2	3	20 A, 125 V	Duplex, Back and Side
5652-HG, 5662-HG	2	3	15 A, 250 V	Duplex, Back and Side
5462-HG, 8400, L8400, 8400-X	2	3	20 A, 250 V	Duplex, Back and Side
5662-HG, 8600, L8600, 8600-X	2	3	15 A, 250 V	Duplex Back and Side
T8280 %+	2	3	15 A, 125 V	Duplex, Back and Side
T8380%+, T8381%+	2	3	20 A, 125 V	Duplex, Back and Side

Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
OCR15	2	3	15A-125V	Backwired and Sidewired
OCR20	2	3	20A-125V	Backwired and Sidewired
OBR15	2	3	15A-125V	Backwired and Sidewired
OBR20	2	3	20A-125V	Backwired and Sidewired
C5262	2	3	15A-125V	Backwired and Sidewired
C5362	2	3	20A-125V	Backwired and Sidewired
C8200	2	3	15A-125V	Backwired and Sidewired
C8300	2	3	20A-125V	Backwired and Sidewired
05252	2	3	15A-125V	Backwired and Sidewired
05352	2	3	20A-125V	Backwired and Sidewired
16242	2	3	15A-125V	Backwired and Sidewired
16342	2	3	20A-125V	Backwired and Sidewired
16252	2	3	15A-125V	Backwired and Sidewired
16352	2	3	20A-125V	Backwired and Sidewired
TCR15	2	3	15A-125V	Sidewired
TCR20	2	3	20A-125V	Sidewired
TBR15	2	3	15A-125V	Backwired and Sidewired
TBR20	2	3	20A-125V	Backwired and Sidewired

T5262	2	3	15A-125V	Sidewired
T5362	2	3	20A-125V	Sidewired
TDR15	2	3	15A-125V	Sidewired
TDR20	2	3	20A-125V	Sidewired

Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
WBR15	2	3	15A-125V	Backwired and Sidewired
WBR20	2	3	20A-125V	Backwired and Sidewired
W5252	2	3	15A-125V	Backwired and Sidewired
W5352	2	3	20A-125V	Backwired and Sidewired
WDR15	2	3	15A-125V	Backwired and Sidewired
WDR20	2	3	20A-125V	Backwired and Sidewired
TWR15	2	3	15A-125V	Sidewired
TWR20	2	3	20A-125V	Sidewired
WTD15, TWD15	2	3	15A-125V	Sidewired
WTD20, TWD15	2	3	20A-125V	Sidewired
5262-S, C8200-SG, TCR15-IGX, TDR15-IGX	2	3	15A-125V	Sidewired
5362-S, C8300-SG, TCR20-IGX, TDR20-IGX	2	3	20A-125V	Sidewired
CR15-IGX	2	3	15A-125V	Sidewired, Isolated Ground
CR20-IGX	2	3	20A-125V	Sidewired, Isolated Ground
L5262-XXX, 8200-HXX, W8200-XXX, T8200-XXX, WT820-XXX	2	3	15A-125V	Backwired and Sidewired

L5362-XXX, 8300-HXX, W8300-XXX, T8300-XXX, WT830-XXX	2	3	20A- 125V	Backwired and Sidewired
5262-IGX, 16262-IGX, 8200-IGX, D8200-IGX, W8200-IGX, T5262-IGX, T1626-IGX, T8200-IGX, DT820-IGX, WT562-IGX, WTD15-IGX, WT820-IGX	2	3	15A- 125V	Backwired and Sidewired Isolated Ground
5362-IGX, 16362-IGX, 8300-IGX, D8300-IGX, W8200-IGX, T5362-IGX, T1636-IGX, T8300-IGX, DT830-IGX, WT563-IGX, WTD20-IGX, WT830-IGX	2	3	20A- 125V	Backwired and Sidewired Isolated Ground

Receptacles, Locking Type

Cat. No.	No. Poles	No. Wire	Rating	Note
6370-CR	2p	3w	125VAC, 50A	Back wired
3771	2p	3w	250VDC/600VAC, 50A	Back wired
CS637	2p	3w	125VAC, 50A	Back wired
CS826-9	2p	3w	250VAC, 50A	Back wired
CS846-9	2p	3w	480VAC, 50A	Back wired
6369-CR	3p	4w	125/250VAC, 50A	Back wired
3769	3p	4w	250VDC/600VAC, 50A	Back wired
CS636-9	3p	4w	125/250VAC, 50A	Back wired
CS816-9	3p	4w	480V, 3-phase, 50A	Back wired
CS836-9	3p	4w	250V, 3-phase, 50A	Back wired
7379	3p	4w	250VDC, 600VAC	Back wired

Inlets, Locking Type

Cat. No.	No. Poles	No. Wire	Rating	Note
6377-CR	2p	3w	125VAC, 50A	Back wired
3777	2p	3w	250VDC/600VAC, 50A	Back wired
CS637-7	2p	3w	125VAC, 50A	Back wired
CS827-5	2p	3w	250VAC, 50A	Back wired
CS847-5	2p	3w	480VAC, 50A	Back wired
6375-CR	3p	4w	125/250VAC, 50A	Back wired
3775	3p	4w	250VDC/600VAC, 50A	Back wired
CS637-5	3p	4w	125/250VAC, 50A	Back wired

CS817-5	3p	4w	480V, 3-phase, 50A	Back wired
CS837-5	3p	4w	250V, 3-phase, 50A	Back wired
7958	3p	4w	250VDC, 600VAC	Back wired

Modular Receptacles

Cat. No.	No.		Rating	Note
	Poles	Wire		
M5262, M5262-S, M1626, M1626-B, M5262-XCX, M1626-XCX, M5262-1XX, M1626-1XX, MT562-XCX, MT162-XCX, MT562-1XX, MT162-1XX	2	3	15A-125V	1
M5362, M5362-S, M1636, M1636-B, M5362-XCX, M1636-XCX, M5362-1XX, M1636-1XX, MT563-XCX, MT163-XCX, MT563-1XX, MT163-1XX	2	3	20A-125V	1
Note: (1) - For use only with Leviton Special Purpose Connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, and MSTWL-SDA.				

Hospital Grade Modular Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
M8200, M8200-PL, M1626-HG, M1626-PL, M8200-H, MRI15	2	3	15A-125V	1
M8300, M8300-H, M8300-PL, M1636-HG, M1636-PL, MRI20	2	3	20A-125V	1
M1626-IL, M1636-IL	—	—	—	—
Note: (1) - For use only with Leviton Special Purpose Connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, and MSTWL-SDA.				

Tamper Resistant Modular Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
M5262-SG, MT162, MT562-S, M5262-IL, MT526-IL	2	3	15A-125V	1
M5362-SG, MT163, MT563-S, M5362-IL, MT536-IL	2	3	20A-125V	1
MT538, MT738(+)	2	3	20A-125V	1
MT528, MT728(+)	2	3	15A-125V	1
Note: (1) - For use only with Leviton Special Purpose Connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, and MSTWL-SDA.				

Tamper Resistant Hospital Grade Modular Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
M8200-SG, MT162-HG, MT820, M8200-IL, MT820-IL	2	3	15A-125V	1
M8300-SG, MT163-HG, MT830, M8300-IL, MT830-IL	2	3	20A-125V	1
MT162-IL, MT163-IL	—	—	—	—
MT828(+)	2	3	15A-125V	1

MT838(+)	2	3	20A-125V	1
Note: (1) - For use only with Leviton Special Purpose Connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, and MSTWL-SDA.				

Tamper Resistant General Grade Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
T5825, T5820, RER20	2	3	20A-125V	—
TBR15	2	3	15A-125V	—
TBR20, TCR20, TCBR2	2	3	20A-125V	—
TBR15, TCR15, TCBR1	2	3	15A-125V	—
RER15	2	3	15A-125V	—

Tamper Resistant Hospital Grade Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
16362-SG, D8300, D8300F	2	3	20A-125V	—
16262-SG, D8200, D8200F	2	3	15A-125V	—

Modular Isolated Ground Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
M5262-IG, M1626-IG,	2	3	15A-125V	2
M5362-IG, M1636-IG	2	3	20A-125V	2
Note: (2) - For use only with Leviton Special Purpose Connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA, , MSTWL-IG, MSTWL-SIG & MSTWL-WIG.				

Hospital Grade Modular Isolated Ground Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
M8200-IG, MD820-IG	2	3	15A-125V	2
M8300-IG and MD830-IG	2	3	20A-125V	2
Note: (2) - For use only with Leviton Special Purpose Connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA, , MSTWL-IG, MSTWL-SIG & MSTWL-WIG.				

Tamper Resistant Modular Isolated Ground Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
MT562-IG and MT162-IG	2	3	15A-125V	2
MT563-IG and MT163-IG	2	3	20A-125V	2

Note: (2) - For use only with Leviton Special Purpose Connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA, , MSTWL-IG, MSTWL-SIG & MSTWL-WIG.

Tamper Resistant Hospital Grade Modular Isolated Ground Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
MT820-IG and MDT82-IG	2	3	15A-125V	1
MT830-IG and MDT83-IG	2	3	20A-125V	1
Note: (2) - For use only with Leviton Special Purpose Connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA, MSTWL-IG, MSTWL-SIG & MSTWL-WIG.				

Hospital Grade Modular Isolated Ground Receptacles with "Power Indicator".

Cat. No.	No. Poles	No. Wire	Rating	Note
MP820-IG and MDP82-IG	2	3	15A-125V	1
MP830-IG and MDP83-IG	2	3	20A-125V	1
Note: (2) - For use only with Leviton Special Purpose Connector, Cat. Nos. MSTWL, MSTWL-XXX, MSTWL-00A, MSTWL-SDA, MSTWL-IG, MSTWL-SIG & MSTWL-WIG.				

Tamper Resistant USB General Grade Receptacles

Cat. No.	No. Poles	No. Wire	Rating	Note
T5630	2	3	15A-125V	—
T5830	2	3	20A-125V	—

Flanged Outlets

Cat. No.	No. Poles	No. Wire	Rating	Note
LNR96-1	2	3	15A, 125V	Leaded
LNR96-2	2	3	15A, 250V	Leaded
LNR96-3	2	3	20A, 125V	Leaded
LNR96-4	2	3	20A, 250V	Leaded
LNR96-5	2	3	15A, 125V	Leaded
LNR96-6	2	3	15A, 250V	Leaded
LNR96-7	2	3	15A, 277VAC	Leaded

Covers for single pin connectors, Cat. Nos. 15S31, 16S31.

Covers for Receptacles, Cat. Nos. WP4.

(+) Complementary listed as VZCA7 under E317603.

(%) May or may not be followed by suffixes.

Trademark and/or Tradename: "E13399"

Last Updated on 2018-09-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"



RTRT8.E13399 - RECEPTACLES FOR PLUGS AND ATTACHMENT PLUGS CERTIFIED FOR CANADA - COMPONENT

Receptacles for Plugs and Attachment Plugs Certified for Canada - Component

See General Information for Receptacles for Plugs and Attachment Plugs Certified for Canada - Component

LEVITON MFG CO INC

E13399

201 N SERVICE RD
MELVILLE, NY 11747-3138 USA

Receptacles Model(s) 1306, 1306/1 to 1306/200, 1306/300 to 1306/399, 1306W, 1306W/1 to 1306W/200, 1316, 1316/1 to 1316/200, 1316W, 1316W/1 to 1316W/200, 297-1 to 297-100, 297W-1 to 297W-100, 298-1 to 298-100, 298-1 to 298-150, 298-300 thru 298-399, 298W-1 to 298W-100, 306, 306/1 to 306/200, 306W, 306W/1 to 306W/200, 316, 316/1 to 316/200, 316W, 316W/1 to 316W/200, 9306, 9306/1 to 9306/200

NOTE - This list includes catalog numbers with suffix letters BLK, BU, GN, I, IV, MA, PK, RD, SP, TA, W, or YL and/or the suffix CP.

Marking: Company name or tradename "E13399" , "Leviton" , model designation and the Recognized Component Mark for Canada,



Last Updated on 2016-08-12

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"