

**ONHR.E136278**  
**Lampholders, Medium Base**[Page Bottom](#)**Lampholders, Medium Base**[See General Information for Lampholders, Medium Base](#)**SUN-LITE SOCKETS INDUSTRY INC**

E136278

3 Lane 15 Wenchang 1st St  
Wenhua Village Kueishan District  
Taoyuan, 333 TAIWAN

**Adapters**, Model(s) EBI-01**Lampholders, dimmer type**, Model(s) WA-160, WA-560**Lampholders, medium base**, Model(s) 1102, 1102A, 1102AB, 1102B, 1103, 1103AB, 1103AC-X, 1103AD, 1103B, 1103C-X, 1103D, 2102, 2102B, 2103, 2103B, 2103C-X, 2103D, 3102, 3102B, 3103, 3103B, 3103C-X, 3103D, 5102, 5102B, 5103, 5103B, 5103C-X, 5103D, A-01, A-36A, A-36B, A-50, A-88A, A-88B, A-89A, A-89B, A-95, A-95#, A-96, A-96#, A-97, A-97#, A-98, A-99A, A-99B, B-100, B-200, B-53A, B-53B, B-53C, B-99A, B-99B, G-01B, SL-27 (&), SL-27# (&), WA-106, WA-106B, WA-116, WA-134, WA-136, WA-506, WA-506B, WA-506C-X, WA-506D, WA-516B, WA-516C-X, WA-516D, WA-534B, WA-534C-X, WA-534D, WA-536B, WA-536C-X, WA-536D, WB-106, WB-106B, WB-506, WB-506B, WB-506C-X, WB-506D**Lampholders, medium base, insulation piercing terminals, for temporary use on stranded thermoplastic wire, No. 14 AWG**, Model(s) AB078**Lampholders, medium base, insulation piercing terminals, for temporary use on stranded thermoplastic wire, Nos. 14 AWG and 16 AWG**, Model(s) B-78B**Lampholders, medium base, surface-mounted and outlet box-connected, pull-chain switch type with 3-wire grounding type receptacle**, Model(s) A-68**Lampholders, surface cleat type, medium base**, Model(s) A-94, B-98**Medium EX26 bases**, Model(s) A-99C**Multihead lampholders, medium base**, Model(s) B-400**Phenolic lampholders**, Model(s) B-13, B-26B**Pull-chain switch/lampholders**, Model(s) 1502, 1502A, 1502AB, 1503AB, 1503AC, 1503AD, 2502A, 2502AB, 2503AB, 2503AC, 2503AD, 3502, 3502B, 3503, 3503B, 3503C-X, 3503D, 5502, 5502B, 5503B, 5503C-X, 5503D, WA -518D, WA-101, WA-101B, WA-110, WA-117, WA-118, WA-501, WA-501B, WA-501C-X, WA-501D, WA-510B, WA-510C-X, WA-510D, WA-517B, WA-517C-X, WA-517D, WA-518B, WA-518C-X, WB-101, WB-101B, WB-501, WB-501B, WB-501C-X, WB-501D**Push-thru switched lampholders**, Model(s) 1202, 1202A, 1202AB, 1202B, 1203, 1203AB, 1203AC, 1203AD, 1203B, 1203C-X, 1203D, 2202, 2202A, 2202AB, 2202B, 2203, 2203AB, 2203AC, 2203AD, 2203B, 2203C-X, 2203D, 2302, 2302B, 3202, 3202B, 3203, 3203B, 3203C-X, 3203D, 5202, 5202B, 5203, 5203B, 5203C-X, 5203D, WA-103, WA-103B, WA-503, WA-503B, WA-503C-X, WA-503D, WB-103, WB-103B, WB-503, WB-503B, WB-503C-X, WB-503D**Rotary switch lampholders**, Model(s) 1302, 1302B, 1303, 1303B, 1303C-X, 1303D, 1602, 1602B, 1603, 1603B, 1603C-X, 1603D, 1802, 1803B, 1803C-X, 1803D, 1902, 1903B, 1903C-X, 1903D, 2303, 2303B, 2303C-X, 2303D, 2602, 2602B, 2603, 2603B, 2603C-X, 2603D, 3302B, 3303B, 3303C-X, 3303D, 5302B, 5303B, 5303C-X, 5303D, C-09, C-09B, C-10, C-11, C-11B, C-12, C-12B, SL-27SN#, SL-27SN-B, SL-27SN-C, SL-27SN-D, SL-27SP, WA-102, WA-102B, WA-104, WA-104B, WA-105, WA-105B, WA-108, WA-108B, WA-109, WA-111, WA-502, WA-502B, WA-502C-X, WA-502D, WA-504, WA-504B, WA-504C-X, WA-504D, WA-505, WA-508, WA-508B, WA-508C-X, WA-508D, WA-509B, WA-509C-X, WA-509D, WA-511, WA-511B, WA-511C-X, WA-511D, WB-102, WB-102B, WB-104, WB-104B, WB-108, WB-108B, WB-502, WB-502B, WB-502C-X, WB-502D, WB-504B, WB-504C-X, WB-504D, WB-508, WB-508B, WB-508C-X, WB-508D**Single rotary switches**, Model(s) 3602, 3602B, 3603, 3603B, 3603C-X, 3603D, 5602, 5602B, 5603, 5603B, 5603C-X, 5603D**Switched multiple lampholders, skeleton type**, Model(s) B-102**Twin lampholders, medium base**, Model(s) A-100, A-101A, A-101B, A-102, B-101

# - May be followed by number or letter to indicate minor changes.

(&amp;) - DRY or Damp Locations Use.

[Last Updated](#) on 2017-07-25[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".

**ONHR7.E136278**  
**Lampholders, Medium Base Certified for Canada**[Page Bottom](#)**Lampholders, Medium Base Certified for Canada**[See General Information for Lampholders, Medium Base Certified for Canada](#)**SUN-LITE SOCKETS INDUSTRY INC**

E136278

3 Lane 15 Wenchang 1st St  
Wenhua Village Kueishan District  
Taoyuan, 333 TAIWAN

**Adapters**, Model(s) EBI-01**Lampholders, dimmer type**, Model(s) WA-160, WA-560**Lampholders, medium base**, Model(s) 1102, 1102A, 1102AB, 1103AB, 1103AC-X, 1103AD, 1103B, 1103C-X, 1103D, 2102, 2103B, 2103C-X, 2103D, 3102, 3102B, 3103, 3103B, 3103C-X, 3103D, 5102, 5102B, 5103, 5103B, 5103C-X, 5103D, A-01, A-36A, A-36B, A-50, A-88A, A-88B, A-88B, A-89A, A-89B, A-95, A-95#, A-96, A-96#, A-97, A-97#, A-98, A-99A, A-99B, B-100, B-200, B-53A, B-53B, B-53C, B-99A, B-99B, G-01B, SL-27 (&), SL-27# (&), WA-106, WA-116, WA-134, WA-136, WA-506B, WA-506C-X, WA-506D, WA-516B, WA-516C-X, WA-516D, WA-534B, WA-534C-X, WA-534D, WA-536B, WA-536C-X, WA-536D, WB-106, WB-506B, WB-506C-X, WB-506D**Lampholders, medium base, insulation piercing terminals, for temporary use on stranded thermoplastic wire, No. 14 AWG**, Model(s) AB078**Lampholders, medium base, insulation piercing terminals, for temporary use on stranded thermoplastic wire, Nos. 14 AWG and 16 AWG**, Model(s) B-78B**Lampholders, medium base, surface-mounted and outlet box-connected, pull-chain switch type with 3-wire grounding type receptacle**, Model(s) A-68**Lampholders, surface cleat type, medium base**, Model(s) A-94, B-98**Medium EX26 bases**, Model(s) A-99C**Multihead lampholders, medium base**, Model(s) B-400**Phenolic lampholders**, Model(s) B-13, B-26B**Pull-chain switch/lampholders**, Model(s) 1502A, 1502AB, 1503AB, 1503AC, 1503AD, 2502A, 2502AB, 2503AB, 2503AC, 2503AD, 3502, 3502B, 3503, 3503B, 3503C-X, 3503D, 5502, 5502B, 5503B, 5503C-X, 5503D, WA-518D, WA-101, WA-110, WA-117, WA-118, WA-501B, WA-501C-X, WA-501D, WA-510B, WA-510C-X, WA-510D, WA-517B, WA-517C-X, WA-517D, WA-518B, WA-518C-X, WB-101, WB-501B, WB-501C-X, WB-501D**Push-thru switched lampholders**, Model(s) 1202, 1202A, 1202AB, 1203AB, 1203AC, 1203AD, 1203B, 1203C-X, 1203D, 2202, 2202A, 2202AB, 2203AB, 2203AC, 2203AD, 2203B, 2203C-X, 2203D, 2302, WA-103, WA-503B, WA-503C-X, WA-503D, WB-103, WB-103B, WB-503B, WB-503C-X, WB-503D**Rotary switch lampholders**, Model(s) 1302, 1303B, 1303C-X, 1303D, 1602, 1603B, 1603C-X, 1603D, 1802, 1803B, 1803C-X, 1803D, 1902, 1903B, 1903C-X, 1903D, 2303B, 2303C-X, 2303D, 2602, 2602B, 2603, 2603B, 2603C-X, C-09, C-09B, C-10, C-11, C-11B, C-12, C-12B, SL-27SN#, SL-27SN-B, SL-27SN-C, SL-27SN-D, SL-27SP, WA-102, WA-104, WA-108, WA-109, WA-111, WA-502B, WA-502C-X, WA-502D, WA-504, WA-504B, WA-504C-X, WA-504D, WA-508B, WA-508C-X, WA-508D, WA-509B, WA-509C-X, WA-509D, WA-511, WA-511B, WA-511C-X, WA-511D, WB-102, WB-104, WB-108, WB-502B, WB-502C-X, WB-502D, WB-504B, WB-504C-X, WB-504D, WB-508B, WB-508C-X, WB-508D**Single rotary switches**, Model(s) 3602, 3602B, 3603, 3603B, 3603C-X, 3603D, 5602, 5602B, 5603, 5603B, 5603C-X, 5603D**Switched multiple lampholders, skeleton type**, Model(s) B-102**Twin lampholders, medium base**, Model(s) A-100, A-101A, A-101B, A-102, B-101

# - May be followed by number or letter to indicate minor changes.

(&amp;) - DRY or Damp Locations Use.

[Last Updated](#) on 2017-07-25[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".

**ONHR2.E136278**  
**Lampholders, Medium Base - Component**[Page Bottom](#)**Lampholders, Medium Base - Component**[See General Information for Lampholders, Medium Base - Component](#)**SUN-LITE SOCKETS INDUSTRY INC**

E136278

3 Lane 15 Wenchang 1st St  
Wenhua Village Kueishan District  
Taoyuan, 333 TAIWAN

**Lampholder interiors**, Model(s) 1201, 1201A, 1301, 1501, 1501A, 1601, 2201, 2201A, 2301, 2501A, 2601, 3201, 3301, 5201, 5301, WA-201, WA-202, WA-202A, WA-203, WA-204, WA-204A, WA-205, WA-206, WA-206A, WA-208, WA-208A, WA-224, WA-234, WA-236, WB-201, WB-202, WB-203, WB-204, WB-206, WB-208

**Lampholder interiors, dimmer type**, Model(s) 1701, WA-209, WA-211, WA-217, WA-260

**Lampholder interiors, incandescent type**, Model(s) 1101, 2101, 3101, 5101

**Lampholder interiors, switches**, Model(s) 3501, 3601, 5501, 5601, WA-210

**Medium base lampholders**, Model(s) 1101A, 1203E, 1702, 1703B, 1703C-X, 1703D, 1801, 1901, 66220010&3161164, A-53, A-88C, A-90, A-90A, A-90B-90, A-90E-90, A-90G1-20, A-90G1-45, A-90G1-90, A-90G2-20, A-90G2-45, A-91, A-93, B-105, B-106, B-107, B-108, B-89A, B-89B, B-89C, B-94, B-94A, B-95A, B-95B, G-01, GE#197D3796G001, GE#197D4680P001, GE#238C1401P001, GE205C1035P003, GE229C4530P001, GE229C4530P002, GEB10207HLD005, GEB10251HLD006, SL-27C, SL-27C #, SL-27T, SL-27T#, WA-216, WA-218, WA-503E

**Phenolic lampholders**, Model(s) AB030, B-12, B-36

**Plastic lampholders**, Model(s) B-20, B-26, B-26C

**Twin socket lampholders**, Model(s) A-100

Marking: Company name or tradename "SUN-LITE" and model designation.

[Last Updated](#) on 2017-06-23[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".

**ONHR8.E136278****Lampholders, Medium Base Certified for Canada - Component**[Page Bottom](#)**Lampholders, Medium Base Certified for Canada - Component**[See General Information for Lampholders, Medium Base Certified for Canada - Component](#)**SUN-LITE SOCKETS INDUSTRY INC**

E136278

3 Lane 15 Wenchang 1st St  
Wenhua Village Kueishan District  
Taoyuan, 333 TAIWAN

**Lampholder interiors**, Model(s) 1201, 1201A, 1301, 1501A, 1601, 2201, 2201A, 2301, 2501A, 2601, WA-201, WA-202, WA-202A, WA-203, WA-204, WA-204A, WA-206, WA-206A, WA-208, WA-224, WA-234, WA-236, WB-201, WB-202, WB-203, WB-204, WB-206, WB-208

**Lampholder interiors, dimmer type**, Model(s) 1701, WA-209, WA-211, WA-217, WA-260

**Lampholder interiors, incandescent type**, Model(s) 1101, 2101, 5101

**Lampholder interiors, switches**, Model(s) 3601, 5501, 5601, WA-210

**Medium base lampholders**, Model(s) 1101A, 1203E, 1702, 1703B, 1703C-X, 1703D, 1801, 1901, 66220010&3161164, A-53, A-88C, A-90, A-90A, A-90B-90, A-90E-90, A-90G1-20, A-90G1-45, A-90G1-90, A-90G2-20, A-90G2-45, A-91, A-93, B-105, B-106, B-107, B-108, B-89A, B-89B, B-89C, B-94, B-94A, B-95A, B-95B, G-01, GE#197D3796G001, GE#197D4680P001, GE#238C1401P001, GE205C1035P003, GE229C4530P001, GE229C4530P002, GEB10207HLD005, GEB10251HLD006, SL-27C, SL-27C#, SL-27T, SL-27T#, WA-216, WA-218, WA-503E

**Phenolic lampholders**, Model(s) AB030, B-12, B-36

**Plastic lampholders**, Model(s) B-20, B-26, B-26C

**Twin socket lampholders**, Model(s) A-100

Marking: Company name or tradename "SUN-LITE", model designation and the Recognized Component Mark for Canada,

[Last Updated](#) on 2017-06-23[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".