UL Product **iQ**®



ONHR.E136278 - Lampholders, Medium Base

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at https://www.ul.com/about/locations.

Lampholders, Medium Base

Sun-Lite Sockets Industry Inc

3 Lane 15 Wenchang 1st St Wenhua Village Kueishan District Taoyuan, 333 Taiwan

Model(s): WA-139A, WA-139B, WA-539B, WA-539C, WA-539D, WA-560C, WA-560D

Adapters, Model(s): EBI-01

Lampholders, dimmer type, Model(s): WA-160, WA-560

Lampholders, medium base, Model(s): 1102, 1102A, 1102AB, 1102B, 1103, 1103AB, 1103AC-X, 1103AD, 1103B, 1103C-X, 1103D, 2102, 2102B, 2103, 2103B, 2103C-X, 2103D, 3102, 3102B, 3103B, 3103C-X, 3103D, 5102, 5102B, 5103, 5103B, 5103C-X, 5103D, A-01, A-36A, A-36B, A-50, A-88A, A-88B, A-89A, A-89B, A-95, A-95#, A-96, A-96#, A-97, A-97#, A-98, A-99A, A-99B, B-100, B-200, B-53A, B-53B, B-53C, B-99A, B-99B, G-01B, SL-27 (&), SL-27# (&), WA-106, WA-106B, WA-116, WA-134, WA-136, WA-506, WA-506B, WA-506C-X, WA-506D, WA-516B, WA-516C-X, WA-516D, WA-534B, WA-534C-X, WA-534D, WA-536B, WA-536C-X, WA-536D, WB-106B, WB-106B, WB-506B, WB-506B, WB-506C-X, WB-506D

Lampholders, medium base, insulation piercing terminals, for temporary use on stranded thermoplastic wire, No. 14 AWG, Model(s): AB078

Lampholders, medium base, insulation piercing terminals, for temporary use on stranded thermoplastic wire, Nos. 14 AWG and 16 AWG, Model(s): B-78B

Lampholders, medium base, surface-mounted and outlet box-connected, pull-chain switch type with 3-wire grounding type receptacle, Model(s): A-68

Lampholders, surface cleat type, medium base, Model(s): A-94, B-98

Medium Base Lampholder, Model(s): B-13B

Medium Base Switched Lampholder, Model(s): C-12C

Medium EX26 bases, Model(s): A-99C

Multihead lampholders, medium base, Model(s): B-400

Phenolic lampholders, Model(s): B-13, B-26B

Pull-chain switch/lampholders, Model(s): 1502, 1502A, 1502AB, 1503AB, 1503AB, 1503AC, 1503AD, 2502AB, 2503AB, 2503AC, 2503AD, 3502B, 3503B, 3503B, 3503B, 3503C-X, 3503D, 5502B, 5503B, 5503C-X, 5503D, WA -518D, WA-101, WA-101B, WA-110, WA-117, WA-118, WA-501, WA-501B, WA-501C-X, WA-501D, WA-510B, WA-510C-X, WA-510D, WA-517B, WA-517C-X, WA-517D, WA-518B, WA-518C-X, WB-101, WB-101B, WB-501, WB-501B, WB-501C-X, WB-501D

Push-thru switched lampholders, Model(s): 1202, 1202A, 1202AB, 1202B, 1203, 1203AB, 1203AC, 1203AD, 1203B, 1203C-X, 1203D, 2202, 2202A, 2202AB, 2202B, 2203, 2203AB, 2203AC, 2203AD, 2203B, 2203C-X, 2203D, 2302, 2302B, 3202B, 3202B, 3203B, 3203C-X, 3203D, 5202, 5202B,

5203, 5203B, 5203C-X, 5203D, WA-103, WA-103B, WA-503, WA-503B, WA-503C-X, WA-503D, WB-103, WB-103B, WB-503B, WB-503B, WB-503C-X, WB-503D

E136278

Rotary switch lampholders, Model(s): 1302, 1302B, 1303, 1303B, 1303C-X, 1303D, 1602, 1602B, 1603, 1603B, 1603C-X, 1603D, 1802, 1803B, 1803C-X, 1803D, 1902, 1903B, 1903C-X, 1903D, 2303, 2303B, 2303C-X, 2303D, 2602, 2602B, 2603, 2603B, 2603C-X, 2603D, 3302B, 3303B, 3303C-X, 3303D, 5302B, 5303B, 5303C-X, 5303D, C-09, C-09B, C-10, C-11, C-11B, C-12, C-12B, SL-27SN-B, SL-27SN-B, SL-27SN-D, SL-27SN-D, SL-27SP, WA-102, WA-102B, WA-104B, WA-104B, WA-105B, WA-108B, WA-109, WA-111, WA-502, WA-502B, WA-502C-X, WA-502D, WA-504, WA-504B, WA-504C-X, WA-504D, WA-505, WA-508B, WA-508C-X, WA-508D, WA-509B, WA-509C-X, WB-502D, WB-504B, WB-504C-X, WB-504D, WB-504D, WB-504D, WB-504D, WB-508B, WB-508B, WB-508B, WB-508B, WB-508C-X, WB-508D

Single rotary switches, Model(s): 3602, 3602B, 3603, 3603B, 3603C-X, 3603D, 5602, 5602B, 5603, 5603B, 5603C-X, 5603D

Switched multiple lampholders, skeleton type, Model(s): B-102

Twin lampholders, medium base, Model(s): A-100, A-101A, A-101B, A-102, B-101

- May be followed by number or letter to indicate minor changes.(&) - DRY or Damp Locations Use.

Last Updated on 2022-10-03

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."

UL Product **iQ**[®]



E136278

ONHR2.E136278 - Lampholders, Medium Base - Component

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <u>https://www.ul.com/about/locations</u>.

Lampholders, Medium Base - Component

Sun-Lite Sockets Industry Inc 3 Lane 15 Wenchang 1st St

Wenhua Village Kueishan District Taoyuan, 333 Taiwan

Marking: Company name or tradename "SUN-LITE", and model designation. Note: For additional marking information, refer to the <u>Guide Information Page</u>.

Model(s): C-09T

Lampholder interiors, Model(s): 1201, 1201A, 1301, 1501, 1501A, 1601, 2201, 2201A, 2301, 2501A, 2601, 3201, 3301, 5201, 5301, WA-201, WA-202, WA-202A, WA-203, WA-204, WA-204A, WA-205, WA-206, WA-206A, WA-208, WA-208A, WA-224, WA-234, WA-236, WA-309, WB-201, WB-202, WB-203, WB-204, WB-206, WB-208

Lampholder interiors, dimmer type, Model(s): 1701, WA-209, WA-211, WA-217, WA-260

Lampholder interiors, incandescent type, Model(s): 1101, 2101, 3101, 5101

Lampholder interiors, switches, Model(s): 3501, 3601, 5501, 5601, WA-210

Medium Base, Model(s): WA-119A, WA-119B, WA-519B, WA-519C, WA-519D

MEDIUM BASE LAMPHOLDER, Model(s): B-15A, B-15B, B-15C

Medium base lampholders, Model(s): 1101A, 1203E, 1702, 1703B, 1703C-X, 1703D, 1801, 1901, 66220010&3161164, A-53, A-88C, A-90, A-90A, A-90B-90, A-90E-90, A-90G1-20, A-90G1-45, A-90G1-90, A-90G2-20, A-90G2-45, A-91, A-93, B-105, B-106, B-107, B-108, B-89A, B-89B, B-89C, B-94, B-94A, B-94B, B-95A, B-95B, G-01, GE#197D3796G001, GE#197D4680P001, GE#238C1401P001, GE205C1035P003, GE229C4530P001, GE229C4530P002, GEB10207HLD005, GEB10251HLD006, SL-27C, SL-27C#, SL-27T, SL-27T#, WA-216, WA-218, WA-503E

Medium Base, Interior, Model(s): WA-219

Phenolic lampholders, Model(s): AB030, B-12, B-36

Plastic lampholders, Model(s): B-105A, B-108A, B-20, B-26, B-26C

Twin socket lampholders, Model(s): A-100

.

Last Updated on 2022-10-03

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition,

the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."

UL Product **iQ**[®]



ONHR7.E136278 - Lampholders, Medium Base Certified for Canada

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <u>https://www.ul.com/about/locations</u>.

Lampholders, Medium Base Certified for Canada

Sun-Lite Sockets Industry Inc 3 Lane 15 Wenchang 1st St Wenhua Village Kueishan District Taoyuan, 333 Taiwan

E136278

Model(s): WA-139A, WA-139B, WA-539B, WA-539C, WA-539D, WA-560C, WA-560D

Adapters, Model(s): EBI-01

Lampholders, dimmer type, Model(s): WA-160, WA-560

Lampholders, medium base, Model(s): 1102, 1102A, 1102AB, 1103AB, 1103AC-X, 1103AD, 1103B, 1103C-X, 1103D, 2102, 2103B, 2103C-X, 2103D, 3102, 3102B, 3103, 3103B, 3103C-X, 3103D, 5102, 5102B, 5103, 5103B, 5103C-X, 5103D, A-01, A-36A, A-36B, A-50, A-88A, A-88B, A-89A, A-89B, A-95, A-95#, A-96, A-96#, A-97, A-97#, A-98, A-99A, A-99B, B-100, B-200, B-53A, B-53B, B-53C, B-99A, B-99B, G-01B, SL-27 (&), SL-27# (&), WA-106, WA-116, WA-134, WA-136, WA-506B, WA-506C-X, WA-506D, WA-516B, WA-516C-X, WA-516D, WA-534B, WA-534C-X, WA-534D, WA-536B, WA-536C-X, WA-536D, WB-106, WB-506B, WB-506C-X, WB-506D

Lampholders, medium base, insulation piercing terminals, for temporary use on stranded thermoplastic wire, No. 14 AWG, Model(s): AB078

Lampholders, medium base, insulation piercing terminals, for temporary use on stranded thermoplastic wire, Nos. 14 AWG and 16 AWG, Model(s): B-78B

Lampholders, medium base, surface-mounted and outlet box-connected, pull-chain switch type with 3-wire grounding type receptacle, Model(s): A-68

Lampholders, surface cleat type, medium base, Model(s): A-94, B-98

Medium Base Lampholder, Model(s): B-13B

Medium Base Switched Lampholder, Model(s): C-12C

Medium EX26 bases, Model(s): A-99C

Multihead lampholders, medium base, Model(s): B-400

Phenolic lampholders, Model(s): B-13, B-26B

Pull-chain switch/lampholders, Model(s): 1502A, 1502AB, 1503AB, 1503AC, 1503AD, 2502A, 2502AB, 2503AB, 2503AC, 2503AD, 3502, 3502B, 3503B, 3503B, 3503C-X, 3503D, 5502, 5502B, 5503B, 5503C-X, 5503D, WA -518D, WA-101, WA-110, WA-117, WA-118, WA-501B, WA-501C-X, WA-501D, WA-510B, WA-510C-X, WA-510D, WA-517D, WA-518B, WA-518C-X, WB-101, WB-501B, WB-501C-X, WB-501D

Push-thru switched lampholders, Model(s): 1202, 1202A, 1202AB, 1203AB, 1203AC, 1203AD, 1203B, 1203C-X, 1203D, 2202, 2202A, 2202AB, 2203AB, 2203AB, 2203AC, 2203AD, 2203B, 2203C-X, 2203D, 2302, WA-103, WA-503B, WA-503C-X, WA-503D, WB-103, WB-103B, WB-503B, WB-503C-X, WB-503D

Rotary switch lampholders. Model(s): 1302, 1303B, 1303C-X, 1303D, 1602, 1603B, 1603C-X, 1603D, 1802, 1803B, 1803C-X, 1803D, 1902, 1903B.

1903C-X, 1903D, 2303B, 2303C-X, 2303D, 2602, 2602B, 2603, 2603B, 2603C-X, C-09, C-09B, C-10, C-11, C-11B, C-12, C-12B, SL-27SN#, SL-27SN-B, SL-27SN-C, SL-27SN-D, SL-27SP, WA-102, WA-104, WA-108, WA-109, WA-111, WA-502B, WA-502C-X, WA-502D, WA-504B, WA-504B, WA-504C-X, WA-504D, WA-508B, WA-508C-X, WA-508D, WA-509B, WA-509C-X, WA-509D, WA-511, WA-511B, WA-511C-X, WA-511D, WB-102, WB-104, WB-108, WB-502B, WB-502C-X, WB-502D, WB-504B, WB-504C-X, WB-504D, WB-508B, WB-508C-X, WB-502D, WB-504B, WB-504C-X, WB-504D, WB-508B, WB-508C-X, WB-502D, WB-504B, WB-504C-X, WB-504D, WB-508B, WB-508C-X, WB-508D

Single rotary switches, Model(s): 3602, 3602B, 3603, 3603B, 3603C-X, 3603D, 5602, 5602B, 5603, 5603B, 5603C-X, 5603D

Switched multiple lampholders, skeleton type, Model(s): B-102

Twin lampholders, medium base, Model(s): A-100, A-101A, A-101B, A-102, B-101

- May be followed by number or letter to indicate minor changes.(&) - DRY or Damp Locations Use.

.

Last Updated on 2022-10-03

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."

UL Product **iQ**[®]



E136278

ONHR8.E136278 - Lampholders, Medium Base Certified for Canada - Component

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at https://www.ul.com/about/locations.

Lampholders, Medium Base Certified for Canada - Component

Sun-Lite Sockets Industry Inc 3 Lane 15 Wenchang 1st St Wenhua Village Kueishan District Taoyuan, 333 Taiwan

Marking: Company name or tradename "SUN-LITE", model designation, and the Recognized Component Mark for Canada 🕻 9 Note: For additional marking information, refer to the Guide Information Page.

Model(s): C-09T

Lampholder interiors, Model(s): 1201, 1201A, 1301, 1501A, 1601, 2201, 2201A, 2301, 2501A, 2601, WA-201, WA-202, WA-202A, WA-203, WA-204, WA-204A, WA-206, WA-206A, WA-208, WA-224, WA-234, WA-236, WA-309, WB-201, WB-202, WB-203, WB-204, WB-206, WB-208

Lampholder interiors, dimmer type, Model(s): 1701, WA-209, WA-211, WA-217, WA-260

Lampholder interiors, incandescent type, Model(s): 1101, 2101, 5101

Lampholder interiors, switches, Model(s): 3601, 5501, 5601, WA-210

Medium Base, Model(s): WA-119A, WA-119B, WA-519B, WA-519C, WA-519D

MEDIUM BASE LAMPHOLDER, Model(s): B-15A, B-15B, B-15C

Medium base lampholders, Model(s): 1101A, 1203E, 1702, 1703B, 1703C-X, 1703D, 1801, 1901, 66220010&3161164, A-53, A-88C, A-90, A-90A, A-90B-90, A-90E-90, A-90G1-20, A-90G1-45, A-90G1-90, A-90G2-20, A-90G2-45, A-91, A-93, B-105, B-106, B-107, B-108, B-89A, B-89B, B-89C, B-94, B-94A, B-94B, B-95A, B-95B, G-01, GE#197D3796G001, GE#197D4680P001, GE#238C1401P001, GE205C1035P003, GE229C4530P001, GE229C4530P002, GEB10207HLD005, GEB10251HLD006, SL-27C, SL-27C#, SL-27T#, SL-27T#, WA-216, WA-218, WA-503E

Medium Base, Interior, Model(s): WA-219

Phenolic lampholders, Model(s): AB030, B-12, B-36

Plastic lampholders, Model(s): B-105A, B-108A, B-20, B-26, B-26C

Twin socket lampholders, Model(s): A-100

Last Updated on 2022-10-03

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.



UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."