

ZJCZ.E157718 - Flexible Cord

Flexible Cord

[See General Information for Flexible Cord](#)

JHI WEI ELECTRIC WIRE & CABLE CO LTD

E157718

3RD FL

206 SHAN-MING RD

LU-TSOU, TAIPEI HSIEN 247 TAIWAN

Clock cord, Type(s) Clock**Decorative cord**, Type(s) CXTW, SPT-1W, SPT-2W, XTW**Jacketed cord**, Type(s) SJT, SJT-B, SJTO, SJTOO, SJTOOW, SJTOW, SJTW, ST, STO, STOO, STOOO, STOW, STW, SVT, SVT-B, SVTO, SVTOO**Parallel cord**, Type(s) NISPT-1, NISPT-2, SPT-1, SPT-1-B, SPT-2, SPT-2-B, SPT-3

[Last Updated](#) on 2019-02-10

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"

ZJCZ2.E157718 - Flexible Cord and Cable - Component


Flexible Cord and Cable - Component

[See General Information for Flexible Cord and Cable - Component](#)

JHI WEI ELECTRIC WIRE & CABLE CO LTD
3RD FL
206 SHAN-MING RD
LU-TSOU, TAIPEI HSIEN 247 TAIWAN

E157718

Product Type	Cat. No.	Temp Rating (°C)	Voltage Rating (Vac)	Flame Rating	Optional Ratings	
					Insulation	Jacket
Flexible cord	JW-2010	60,75,90,105	300	VW-1, FT1, FT2	-	-
Flexible cord	JW-2012	60,75,90,105	300	VW-1, FT1, FT2	-	-

Marking: Manufacturer's identification, catalog number or product designation, maximum temperature rating in degrees Celsius, voltage rating, flame rating, number and size of the conductors and the Recognized Component Mark,  on the surface of the cord and on the attached tag, the reel, or the smallest unit container in which the product is packaged.

Last Updated on 2013-09-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"

ZJCZ7.E157718 - Flexible Cord Certified for Canada

Flexible Cord Certified for Canada

[See General Information for Flexible Cord Certified for Canada](#)

JHI WEI ELECTRIC WIRE & CABLE CO LTD

E157718

3RD FL

206 SHAN-MING RD

LU-TSOU, TAIPEI HSIEN 247 TAIWAN

Decorative cord, Type(s) SPT-1W, SPT-2W**Jacketed cord**, Type(s) SJT, SJT-B, SJTO, SJTOO, SJTOOW, SJTOW, SJTW, ST, STO, STOO, STOOO, STOW, STW, SVT, SVT-B, SVTO, SVTOO**Parallel cord**, Type(s) NISPT-1, NISPT-2, SPT-1, SPT-1-B, SPT-2, SPT-2-B, SPT-3

[Last Updated](#) on 2019-02-10

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"

ZJCZ8.E157718 - Flexible Cord and Cable Certified for Canada - Component

Flexible Cord and Cable Certified for Canada - Component


See General Information for Flexible Cord and Cable Certified for Canada - Component

JHI WEI ELECTRIC WIRE & CABLE CO LTD

E157718

3RD FL
206 SHAN-MING RD
LU-TSOU, TAIPEI HSIEN 247 TAIWAN

Product Type	Cat. No.	Temp Rating (°C)	Voltage Rating (Vac)	Flame Rating	Optional Ratings	
					Insulation	Jacket
Flexible cord	JW-2010	60,75,90,105	300	VW-1, FT1, FT2	-	-
Flexible cord	JW-2012	60,75,90,105	300	VW-1, FT1, FT2	-	-

Marking: Manufacturer's identification, catalog number or product designation, maximum temperature rating in degrees Celsius, voltage rating, flame rating, number and size of the conductors and the Recognized Component Mark for Canada,  on the surface of the cord and on the attached tag, the reel, or the smallest unit container in which the product is packaged.

Last Updated on 2013-09-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"