

*Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.*

## Lampholders, Miscellaneous

### COMPANY

#### EMC COLOSIO SRL

Via Ugo La Malfa 4  
Provaglio D'Iseo, BS 25050 Italy

E119078

**Bi-pin, bayonet-type, porcelain or ceramic body**, Model(s): A40

**Mini-can screwshell type, porcelain or ceramic body**, Model(s): P03

+ - Suffix may be added that denotes

Last Updated on 2023-08-09

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.


## Lampholders, Miscellaneous - Component

### COMPANY

#### EMC COLOSIO SRL

Via Ugo La Malfa 4  
Provaglio D'Iseo, BS 25050 Italy

E119078

Marking: Company name model designation, and the Recognized Component Mark 

Note: For additional marking information, refer to the [Guide Information Page](#).

**For double contact bayonet lamps,** Model(s): P-37

**For incandescent end contact lamps,** Model(s): A01, A10X, where X may be any letter., A25

**For incandescent end contact lamps with 5kV pulse rated,** Model(s): A01H, A01HP, A15

**For low voltage halogen lamps,** Model(s): A40B, A60, A60A, A60AY, A66, P44, P44A, P44B, P44C, P44CY, P46, P-54, P-54D, P-54G, P-54H, P-54R, P-54T, P-54U, P-54V, P-65, P-65D, P-65G, P-65H, P-65R, P-65U, P-65V, P-69, P70, P70D, P70S, P-72+, P-80, P-80D, P-80G, P-80H, P-80P, P-80R, P-80T, P-80U, P-80V, P-88+

**For use with PG12 base lamps with 5kV pulse rated,** Model(s): A30(X), P-54M

**For use with Type G(X)12 base lamps with 5kV pulse rated,** Model(s): A33(X)

**For use with Type G12 base lamps with 5kV pulse rated,** Model(s): A32

**For use with Type G22 base lamps with 5kV Pulse Rated,** Model(s): A37, A37A

**For use with Type G8.5 base lamps with 5kV pulse rated,** Model(s): A80, A83, A83A, A83H, A83HA, A83HL, A83L, A83Y, A83YA, A83YL, A83Z, A83ZA, A83ZL

**For use with Type GU10 base lamps,** Model(s): A42U

**For use with Type GU6,5 base lamps with 5kV pulse rated,** Model(s): A76, A76C

**For use with Type GU8.5 base lamps with 5kV pulse rated,** Model(s): A84, A84A

**For use with Type GX10 base lamps with 5kV pulse rated,** Model(s): A42

**For use with Type GX8.5 base lamps with 5kV pulse rated,** Model(s): A85

**For use with Type GZ10 base lamps,** Model(s): A42Z

**For use with Type PGJ5 base lamps with 2.5kV pulse rated,** Model(s): A70, A70L, A70P, A70PL

**For use with Type PGZ(X)18 base lamps with 5kV pulse rated,** Model(s): A93(X), A93(X)C, A93(X)D, A93(X)P

**For use with Type PGZ12 base lamps with 4kV pulse rated,** Model(s): A91C, A91P

**For use with Type PGZ12 base lamps with 5kV pulse rated,** Model(s): A91, A91D

+ - Suffix may be added that denotes mounting means.

Last Updated on 2023-08-09

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

*Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.*

## Lampholders, Miscellaneous Certified for Canada

### COMPANY

#### EMC COLOSIO SRL

Via Ugo La Malfa 4  
Provaglio D'Iseo, BS 25050 Italy

E119078

**Bi-pin, bayonet-type, porcelain or ceramic body**, Model(s): A40

+ - Suffix may be added that denotes

Last Updated on 2023-08-09

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.


## Lampholders, Miscellaneous Certified for Canada - Component

### COMPANY

#### EMC COLOSIO SRL

Via Ugo La Malfa 4  
Provaglio D'Iseo, BS 25050 Italy

E119078

Marking: Company name model designation, and the Recognized Component Mark for Canada 

Note: For additional marking information, refer to the [Guide Information Page](#).

**For double contact bayonet lamps,** Model(s): P-37

**For incandescent end contact lamps,** Model(s): A01, A10X, where X may be any letter., A25

**For incandescent end contact lamps with 5kV pulse rated,** Model(s): A01H, A01HP, A15

**For low voltage halogen lamps,** Model(s): A40B, A60, A60A, A60AY, A66, P44, P44A, P44B, P44C, P44CY, P46, P-54, P-54D, P-54G, P-54H, P-54R, P-54T, P-54U, P-54V, P-65, P-65D, P-65G, P-65H, P-65R, P-65U, P-65V, P-69, P70, P70D, P70S, P-72+, P-80, P-80D, P-80G, P-80H, P-80P, P-80R, P-80T, P-80U, P-80V, P-88+

**For use with PG12 base lamps with 5kV pulse rated,** Model(s): A30(X), P-54M

**For use with Type G(X)12 base lamps with 5kV pulse rated,** Model(s): A33(X)

**For use with Type G12 base lamps with 5kV pulse rated,** Model(s): A32

**For use with Type G22 base lamps with 5kV Pulse Rated,** Model(s): A37, A37A

**For use with Type G8.5 base lamps with 5kV pulse rated,** Model(s): A80, A83, A83A, A83H, A83HA, A83HL, A83L, A83Y, A83YA, A83YL, A83Z, A83ZA, A83ZL

**For use with Type GU10 base lamps,** Model(s): A42U

**For use with Type GU6,5 base lamps with 5kV pulse rated,** Model(s): A76, A76C

**For use with Type GU8.5 base lamps with 5kV pulse rated,** Model(s): A84, A84A

**For use with Type GX10 base lamps with 5kV pulse rated,** Model(s): A42

**For use with Type GX8.5 base lamps with 5kV pulse rated,** Model(s): A85

**For use with Type GZ10 base lamps,** Model(s): A42Z

**For use with Type PGJ5 base lamps with 2.5kV pulse rated,** Model(s): A70, A70L, A70P, A70PL

**For use with Type PGZ(X)18 base lamps with 5kV pulse rated,** Model(s): A93(X), A93(X)C, A93(X)D, A93(X)P

**For use with Type PGZ12 base lamps with 4kV pulse rated,** Model(s): A91C, A91P

**For use with Type PGZ12 base lamps with 5kV pulse rated,** Model(s): A91, A91D

+ - Suffix may be added that denotes mounting means.

Last Updated on 2023-08-09

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."