

NZMT2.E15331 Insulating Bushings - Component

If you notice a change to your NZMT2 Listing Card, click here to learn more.

Page Bottom

Insulating Bushings - Component

See General Information for Insulating Bushings - Component

HEYCO PRODUCTS INC

E15331

1800 INDUSTRIAL WAY N TOMS RIVER, NJ 08755 USA

Feed-Through Bushings, Model(s) LTBP 1000-063, LTBP 1000-250, LTBP 1093-063, LTBP 1093-250, LTBP 1375-250, LTBP 1500-250, LTBP 500-063, LTBP 500-250, LTBP 625-063, LTBP 625-250, LTBP 750-063, LTBP 750-250, LTBP 875-063, LTBP 875-250, TRG 1000-890, TRG 1093-1000, TRG 1250-1125, TRG 1375-1250, TRG 1500-1375, TRG 2000-1875, TRG 375-270, TRG 500-395, TRG 625-520, TRG 750-645, TRG 875-770, TSB NPT 1/2, TSB NPT 1/4, TSB NPT 3/4, TSB NPT 3/8

Insulating Bushings, Model(s) B 218-125N, B 307-244, B 390-265, B 512-375, B 625-500N, B 687-562, B 750-625N, B 875-750N, B-187-125, B-281-156, B-281-218, B-312-250, B-343-218, B-375-250, B-406-281, B-437-312, B-468-343, B-500-375, B-531-406, B-625-500, B-750-625, B-781-625, B-875-750, B1000-875, B1093-969, B250-187N, B281-218N, B312-250N, B343-218N, B375-250N, B500-375N, GPT 1375, GPT 1500, GPT 1750, GPT 2000, K-375-125, K-437-187, K-500-250, K-625-375, K-750-500, K 755-625, MSB 13-10, MSB 16-12, MSB 20-16, MSB 22-18, MSB 25-19, MSB 28-24, MSB 32-26, MSB 34-26, OCB-1000, OCB-1093, OCB-1250, OCB-1375, OCB-1500, OCB-2.5, OCB-2000, OCB-375, OCB-437, OCB-500, OCB-512, OCB-562, OCB-625, OCB-650, OCB-750, OCB-866, OCB-875, OCB-984, OCUB-1000, OCUB-1093, OCUB-1250, OCUB-1375, OCUB-1500, OCUB-2.5, OCUB-2000, OCUB-500, OCUB-625, OCUB-750, OCUB-875, S 1000-9, S 1093-10, S 625-4, S 750-5, S 875-9, S-50, S-87, SB-1.00-12, SB-1.093-13, SB-1.093-14, SB-1.093-15, SB-1.187-15, SB-1.187.15, SB-1.250-15, SB-1.50-18, SB-1.500-17, SB-1.500-21, SB-1.750-22, SB-1000-12, SB-1000-SQ500, SB-1093-13, SB-1093-14, SB-1093-15, SB-1.093-FFI, SB-1187-15, SB-1250-15, SB-1250-16, SB-1375-14, SB-1375-16, SB-1375-MH100-3, SB-1500-17, SB-1500-18, SB-1500-21, SB-1500-10X570, SB-1750-22, SB-2.00-26, SB-2.093-29, SB-2.25-29, SB-2.5-31, SB-2000-26, SB-2000-28, SB-250-040, SB-250-2, SB-3.0-39, SB-3.375-45, SB-3.5-47, SB-312-3, SB-375-281, SB-375-4, SB-40-55, SB-437-243, SB-437-4, SB-437-5, SB-50-70, SB-500-4, SB-500-5, SB-500-6, SB-562-5, SB-562-7, SB-562-7, SB-562-VF-219375, SB-6.0-86, SB-625-4, SB-625-500, SB-625-7, SB-625-8, SB-687-8, SB-687-9, SB-750-10, SB-750-6, SB-750-625, SB-750-8, SB-750-9, SB-812-10, SB-812-9, SB-875-10, SB-875-11, SB-875-6, SB-875-7, SB-875-8, SB-875-9, SB-875-625, SB-750-8, SB-750-9, SB-812-10, SB-812-9, SB-875-10, SB-875-11, SB-875-6, SB-875-7, SB-875-8, SB-875-9, SB-750-625, SB-750-8, SB-750-9, SB-812-10, SB-812-9, SB-815-100, SB-750-16, SBT-1375-16, SBT-1300-21, SBT-1.500-21, SBT-1.750-22, SBT-100-12, SBT-1

Insulating Bushings, Model(s) UB-1000 may begin with prefix S Insulating Bushings, Model(s) UB-1093 may begin with prefix S Insulating Bushings, Model(s) UB-1187 may begin with prefix S Insulating Bushings, Model(s) UB-1250 may begin with prefix S Insulating Bushings, Model(s) UB-1375 may begin with prefix S Insulating Bushings, Model(s) UB-1500 may begin with prefix S Insulating Bushings, Model(s) UB-1750 may begin with prefix S Insulating Bushings, Model(s) UB-2.5 may begin with prefix S Insulating Bushings, Model(s) UB-2000 may begin with prefix S Insulating Bushings, Model(s) UB-3.0 may begin with prefix S Insulating Bushings, Model(s) UB-500 may begin with prefix S Insulating Bushings, Model(s) UB-625 may begin with prefix S Insulating Bushings, Model(s) UB-750 may begin with prefix S Insulating Bushings, Model(s) UB-812 may begin with prefix S Insulating Bushings, Model(s) UB-875 may begin with prefix S Insulating Bushings, Model(s) UBT-1.000 may begin with prefix S Insulating Bushings, Model(s) UBT-1.500 may begin with prefix S Insulating Bushings, Model(s) UBT-1000 may begin with prefix S Insulating Bushings, Model(s) UBT-1093 may begin with prefix S Insulating Bushings, Model(s) UBT-1375 may begin with prefix S Insulating Bushings, Model(s) UBT-1500 may begin with prefix S Insulating Bushings, Model(s) UBT-500 may begin with prefix S Insulating Bushings, Model(s) UBT-625 may begin with prefix S Insulating Bushings, Model(s) UBT-750 may begin with prefix S Insulating Bushings, Model(s) UBT-875 may begin with prefix S

Insulating Bushings Incorporating a Strain Relief, Model(s) ISR300, ISR330, LSR1939-300, RDD-100, RDD-100-7, RDD-100-90, RDD-100A, RDD-100A-7, RDD-100A-90, RDD-101, RDD-101-7, RDD-101-90, RDD-101A, RDD-101A-90, RDD-200, RDD-200-2, RDD-200-2-90, RDD-200-90, RDD-201, RDD-201-2, RDD-201-2-90, RDD-201-90, RDD-301, RDD-301-2, RDD-301-2-90, RDD-301-90, RDD-401, RDD-501, RDD-510, RDD-601, RDD-602, RDD-701

Insulating Bushings Incorporating a Strain Relief, Model(s) SR-5N-5 Series SR with bell shaped cord exits. Catalog numbers

may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, Model(s) SR-5P-7 Series SR employing an integrally molded, flexing spring guard where the cord exits the bushing Catalog numbers may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, Model(s) ST-100L, ST-100N, ST-100W, ST-101A, ST-101AT, ST-101N, ST-200N, ST-201N, ST-301N, ST301N V0, USR-3, USR-4, USR-40

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) RSR-1109, RSR-875

 $\label{eq:insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, {\tt Model}(s) {\tt SR 6N5-4 may be with or without prefix SR}$

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR 6P5-4 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR 8R-200

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-2L-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-2M-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-2M-4 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-2P-1 may be with or without prefix "SR"

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-2P-4 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-30-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-300-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-302-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-31-2 may be with or without prefix "SR"

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-33-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-34-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-34-2 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-3A-4 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-3L-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-3P-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-3P-4 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-3W-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4A-6 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4E-4 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4K-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4K-4 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4K-6 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4L-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4L-4 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4N-4 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4N-6 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4P may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-4P-4 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5K-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5K-4 may be with or without

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5KN-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5L-1 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5M-3 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5MN-3 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5N-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5P may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5P-1 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5P-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5P3-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-5W-1 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6K-5 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6L may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6L-1 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6N-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6N2-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6N3-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6N4-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6P-1 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6P-3 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6P-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6P10-CEE may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6P3-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6P30-CEE may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6P4-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6P5-4 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-6W-1 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-7K-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-7L may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-7L-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-7N-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-7P may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-7P-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-7W-2 may be with or without prefix SR

prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-8L-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-8N-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-8N-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-8P may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-8P-1 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-8P-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-8R-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-9P-1 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR-9P-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, "straight-thru" cord exit, Model(s) SR4N-7 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-10-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-10N-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-11-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-11K may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-11K-2 may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-11L may be with or without prefix SR Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-13-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-14 may be with or without prefix SR

 $\label{eq:Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, {\tt Model}(s) {\tt SR-14-1} may be with or without prefix {\tt SR}$

 $\label{eq:Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, {\it Model(s) SR-15-1} may be with or without prefix SR$

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-16-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-17-2 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-18 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-18-2 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-20-1 may be with or without prefix SR

 $\label{eq:spectrum} \mbox{Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, \mbox{Model}(s) \mbox{SR-20L-1 may be with or without prefix SR} \\$

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-21-2 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-21N-2 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-23-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR-24-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, 90 degree angle cord exits, Model(s) SR14A-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, bell shaped cord exits, Model(s) SR-2P-5 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, bell shaped cord exits, Model(s) SR-3P-5 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, bell shaped cord exits, Model(s) SR-4N-5 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, bell shaped cord exits, Model(s) SR-6N3-5 numbers may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, bell shaped cord exits, Model(s) SR-6P-5 may be with or without prefix SR

 $\label{eq:spectrum} \mbox{Insulating Bushings Incorporating a Strain Relief, bell shaped cord exits, \mbox{Model}(s) \mbox{SR-6P2-5 may be with or without prefix SR} \\$

Insulating Bushings Incorporating a Strain Relief, bell shaped cord exits, Model(s) SR-6P3-5 may be with or without

prefix SR

Insulating Bushings Incorporating a Strain Relief, employing an integrally molded, flexing spring guard where the cord exits the bushing, Model(s) SR-5N-7 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, employing an integrally molded, flexing spring guard where the cord exits the bushing, Model(s) SR-5S-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, employing an integrally molded, flexing spring guard where the cord exits the bushing, Model(s) SR-6N-7 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, employing an integrally molded, flexing spring guard where the cord exits the bushing, Model(s) SR-6N3-7 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, employing an integrally molded, flexing spring guard where the cord exits the bushing, Model(s) SR-6P-7 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, employing an integrally molded, flexing spring guard where the cord exits the bushing, Model(s) SR-6P3-7 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, employing an integrally molded, flexing spring guard where the cord exits the bushing, Model(s) SR-6S-1 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, employing an integrally molded, flexing spring guard where the cord exits the bushing, Model(s) SR-6S-2 may be with or without prefix SR

Insulating Bushings Incorporating a Strain Relief, employing an integrally molded, flexing spring guard where the cord exits the bushing, Model(s) SR-7P-7 may be with or without prefix SR

Strain Relief Bushing, Model(s) ISR-14-27

Marking: Company name or tradename "Heyco" and model designation.

Last Updated on 2017-08-04

 Questions?
 Print this page
 Terms of Use
 Page Top

 © 2017 UL LLC

 The appearance of a company's name or product in this database does not in itself assure that products so identified have been

manufactured under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".