- UL ONLINE CERTIFICATIONS	DIRECTORY	Home	Quick Guide	Contact Us	UL.com	
		R.E190302 ers, Medium I	Base			
						Page Bottom
	Lampholde	ers, Medium I	Base			
See General Information for Lampholo	lers, Medium Base					
ARDITI SPA VIA CABERARDI 3 24012 VAL BREMBILLA, BG ITALY						E190302
Medium base keyless, Model(s) A80	0 TP E26, A801 TP E26,	A802 TP E26,	E26			
				Last	<u>Updated</u> or	n 2017-03-17
Questions?	Print this page	I	erms of Use		Page To	<u>סר</u>
					C	0 2017 UL LLC
The appearance of a company's name manufactured under UL's Follow-Up Se covered under UL's Follow-Up Service.	rvice. Only those produ	cts bearing the	e UL Mark shoul			
III parmits the reproduction of the mat	orial contained in the O	nlino Cortificat	tion Directory o	ubject to the fe	lowing con	ditione: 1

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



	ONS DIRECTORY	Home	Quick Guide	Contact Us	UL.com	
	ONHF Lampholders, Medium	17.E190302 n Base Certif	fied for Canad	a		
						Page Bottom
	Lampholders, Mediun	n Base Certi	fied for Canad	la		
See General Information for Lamp	oholders, Medium Base Cert	ified for Canad	<u>da</u>			
ARDITI SPA						E190302
VIA CABERARDI 3 24012 VAL BREMBILLA, BG ITALY						
Medium base keyless, Model(s)		A802 TP E26,	E26			
				Last	<u>t Updated</u> or	ז 2017-03-17
Questions?	Print this page]	erms of Use		Page To	יף
					C	0 2017 UL LLC
The appearance of a company's na manufactured under UL's Follow-U covered under UL's Follow-Up Serv	p Service. Only those produ	cts bearing the	e UL Mark shoul			

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".

ONLINE CERTIFICATIONS	DIRECTORY	Home Quick Guide Conta	act Us UL.com			
Lampho		E190302 rtified for Canada - Compone	nt			
			Page Bottom			
Lampholders, Medium Base Certified for Canada - Component						
See General Information for Lampholde	ers, Medium Base Certifie	<u>d for Canada - Component</u>				
ARDITI SPA VIA CABERARDI 3 24012 VAL BREMBILLA, BG ITALY			E190302			
Medium base keyless, Model(s) Serie	es E26/I					
Medium base keyless, skeleton typ A802 IT2 TP E26, A802/I/TP/E26, Series		00 IT2 TP E26, A800/I/TP/E26, A80	01 IT2 TP E26, A801/I/TP/E26,			
Thermoplastic medium base lamph	olders, Model(s) 80E26,	81E26, 82E26, 83E26, 84E26				
Marking: Company name, model desigr	nation and the Recognized	Component Mark for Canada, C	91			
	_		Last Updated on 2017-04-11			
Questions?	Print this page	Terms of Use	Page Top			
			© 2017 UL LLC			
The appearance of a company's name of a company's name of manufactured under UL's Follow-Up Service.	vice. Only those products	bearing the UL Mark should be co				
UL permits the reproduction of the mate The Guide Information, Assemblies, Con entirety and in a non-misleading manne the Online Certifications Directory with reprinted material must include a copyr	nstructions, Designs, Syst r, without any manipulation permission from UL" must	ems, and/or Certifications (files) r on of the data (or drawings). 2. Th appear adjacent to the extracted	nust be presented in their le statement "Reprinted from			